

EQUIPMENT AND MACHINE-RELATED MUSCULOSKELETAL HAZARDS SAFETY

Course Code: 7444

A POSTGRADUATE COURSE



**Department of Nutritional Sciences & Environmental Design
Faculty of Sciences
ALLAMA IQBAL OPEN UNIVERSITY**

EQUIPMENT AND MACHINE- RELATED MUSCULOSKELETAL HAZARDS SAFETY

**A Postgraduate Course
Course Code: 7444**



**Department of Nutritional Sciences and Environmental Design
Faculty of Sciences
ALLAMA IQBAL OPEN UNIVERSITY, ISLAMABAD**

(All rights are reserved with the publishers)

Year of Printing	2026
First Edition	2026
Lay out	Ummad Ahmed Shad
Incharge Printing Press	Dr. Sarmad Iqbal
Printer	AIOU, Islamabad.
Publisher	AIOU, Islamabad.
Title Designer	Mushtaq Hussain

COURSE TEAM

Chairman Course Team:

Prof. Dr. Muammad Sher, Dean

CHAIRMAN	Dr. Zaheer Ahmed, Chairman, Department of Nutritional Sciences and Environmental Design, AIOU.
COURSE COORDINATOR	Nazia Iftakhar Lecturer, Department of Nutritional Sciences and Environmental Design, AIOU.
PROGRAM COORDINATOR	Dr. Muhammad Farooq Mustafa Assistant Professor, Department of Nutritional Sciences and Environmental Design, AIOU.
COURSE WRITER	Nazia Iftakhar Lecturer, Department of Nutritional Sciences and Environmental Design, AIOU.
REVIEWERS	Dr. Muhammad Farooq Mustafa, Assistant Professor, Department of Nutritional Sciences and Environmental Design, AIOU.
DESIGNER	As allocated by the Director, IET
COPY EDITOR	Humera Ejaz, APCP, AIOU
PRODUCER	As allocated by the Director, IET
PRINTER	As allocated by the In-charge PPU

FOREWORD

It is with immense pride that we present a study guide for the Postgraduate Diploma in Environment, Health & Safety (EHS) at Allama Iqbal Open University. This program epitomizes our commitment to integrating environmental stewardship with effective and innovative EHS practices in tackling some of the most pressing challenges facing humanity in shaping a sustainable future.

EHS professionals play a crucial role in safeguarding the well-being of employees, the public, and the environment. As industries progress and new technologies emerge, EHS professionals face an ever-developing set of challenges. The PGD program is specially designed to provide students with the knowledge, skills, and practical insight needed to lead in such a dynamic field. Our curriculum integrates emerging technologies with sustainable EHS practices, hence responding not only to the current needs of the industry but also to prevent and reduce accidents, emergencies, and health issues at the workplace, along with any other environmental damage that could result from work practices.

This includes the foundation, organizing, planning, monitoring, and auditing of the EHS management system at the workplace. It will train the students as master trainers who will be able to protect the well-being of the workforce in their relevant domains of expertise and also ensure the environmental regulations that meet the employees' and workplace safety standards, which is necessary for current and future environmental demands.

This study guide serves as an overall map of courses that will make our students competent and forward-looking EHS professionals. It, therefore, outlines the course objectives, structure, and key components that will leave our students well-prepared for challenges with innovative, realistic, and sustainable solutions.

At Allama Iqbal Open University, we pride ourselves on being a hub of excellence in education and research. The PGD in EHS is proof of our continued quest to further knowledge and practice for the betterment of local and global communities. This course will be your guide on how to engage deeply with environmental regulations and take up the challenge to make a meaningful impact on EHS management

system, which in turn would help increase our country's compliance with various EHS regulations.

I wish all the best to all the students in this pursuit. This program may enrich and transform you being one of the leaders in creating a sustainable and resilient future.

Warm Regards,

Prof. Dr. Nasir Mahmood
Vice Chancellor

PREFACE

Dear Students,

I welcome you to the PGD Environment, Health and Safety (EHS) offered by the Department of Nutritional Sciences and Environmental Design (NSED). I hope this message finds you all well.

As we start the study of “EHS”, I wanted to provide you all with a comprehensive guide to clear your understanding and preparation. EHS is crucial because it safeguards human well-being and the planet. Ensures compliance with regulations, preventing accidents, illnesses, and environmental harm. Reduces workplace risks, enhancing employee morale and productivity.

I encourage you to engage actively with the material, ask questions, and participate in discussions to deepen your understanding. Remember, our goal is not just to pass exams but to internalize this knowledge to ensure the safety of ourselves and those around us.

If you have any questions or need further clarification on any topic, feel free to reach out.

Make safety our top priority as we explore this important subject.

Best Wishes,

Prof. Dr. Muhammad Sher

MESSAGE FROM CHAIRMAN

Dear Students,

Welcome to the advanced course on Equipment and Machine Musculoskeletal Hazards offered by the Department of Environmental Health and Safety. I am delighted to introduce you to this crucial subject, which emphasizes the recognition, evaluation, and control of hazards associated with manual handling, tools, machinery, and work-related musculoskeletal disorders.

In this course, you will explore the wide spectrum of health and safety risks linked to equipment use and workplace ergonomics. You will study musculoskeletal disorders (MSDs) and work-related upper limb conditions, their causes, and preventive strategies. The course also covers manual handling hazards, safe use of load-handling equipment, hazards of hand and portable power tools, and both mechanical and non-mechanical machinery hazards. Furthermore, you will gain knowledge of safeguarding methods, workplace control measures, maintenance requirements, and effective training practices for safe equipment use.

Throughout the program, you will understand musculoskeletal risk factors and workplace ergonomics, recognizing and controlling hazards, and safe practices for operating equipment. You will also delve into the safeguarding methods, control measures, and statutory requirements and training, monitoring, documentation, and follow-up procedures to ensure continuous improvement in workplace safety. By the end of this course, you will be able to apply ergonomic principles to minimize musculoskeletal risks and implement effective control measures until you conduct monitoring, reporting, and follow-up procedures for safer workplaces.

I encourage you to actively engage with the course materials, participate in discussions, and apply the concepts and techniques learned to real-world scenarios. Your dedication to mastering monitoring and auditing practices will not only contribute to the well-being of your organization's employees but also demonstrate your commitment to creating safer work environments.

If you have any questions or require further assistance throughout the course, please do not hesitate to reach out. Together, let us work towards fostering a culture of safety and promoting the health and well-being of all individuals in the workplace.

Best Wishes,

Dr. Zaheer Ahmed
Chairman,

INTRODUCTION

Environmental Health and Safety (EHS) is a vital discipline that ensures the protection of workers, the safe use of equipment, and the promotion of healthy workplace practices. Among the many areas within EHS, hazards associated with equipment, machinery, and musculoskeletal disorders are of particular concern, as they contribute significantly to workplace injuries and long-term health issues. The course “Equipment and Machine Musculoskeletal Hazards” is designed to provide a comprehensive understanding of these risks, focusing on musculoskeletal disorders, manual handling injuries, hazards from tools and machinery, and the control measures required to prevent them. It emphasizes both the theoretical foundations and practical strategies needed to assess, manage, and reduce risks, ensuring safer work practices, regulatory compliance, and enhanced worker well-being.

Unit 1 introduces musculoskeletal disorders (MSDs) affecting the upper limbs, including repetitive strain injuries, tendonitis, and carpal tunnel syndrome. It highlights workplace risk factors such as posture, repetition, and force, while emphasizing ergonomic principles to match the workplace to individual needs. Unit 2 focuses on injuries caused by lifting, carrying, pushing, or pulling loads by hand or bodily force. It explains common injuries, methods for assessing manual handling risks, and strategies to avoid or minimize these hazards by applying efficient movement principles and safe handling practices. Unit 3 examines the hazards and safe use of load-handling equipment, including trolleys, pallet trucks, forklifts, and cranes. It discusses operational practices, stability issues, and the statutory requirements for inspection and maintenance of lifting equipment.

Unit 4 addresses hazards linked to the use of hand and portable power tools, such as cuts, electrical risks, noise, and vibration. It emphasizes safe tool use, proper maintenance, training needs, and the importance of reporting systems to ensure tool-related incidents are prevented. Unit 5 explores both mechanical hazards (e.g., entanglement, crushing, shearing) and non-mechanical hazards (e.g., noise, vibration, radiation, and dust). It also highlights the health concerns, safety issues, and risks associated with non-compliance with safety regulations. Unit 6 outlines safeguarding methods and control measures for machinery hazards. It covers fixed guards, interlocks, and safety devices, along with examples of hazard-specific controls. Emphasis is placed on legal requirements and practical solutions to reduce risks.

Unit 7 expands on broader workplace safety concerns, including preventing unauthorized access to dangerous areas, ensuring regular maintenance, conducting

monitoring activities, and managing environmental factors such as lighting, ventilation, and noise. Unit 8 emphasizes the importance of worker training and competency in equipment use. It explains how to select suitable equipment, provide correct information, and deliver effective instruction to ensure workers operate equipment safely and responsibly. Finally, unit 9 introduces the role of monitoring, documentation, and evaluation in workplace safety. It explains how to track performance, record findings, evaluate risk factors, and implement control measures to ensure continuous improvement in health and safety management.

Ar. Nazia Iftakhar
Program Coordinator

COURSE OBJECTIVES

1. To learn the core concept of Musculoskeletal Disorders (MSD).
2. Imparting factors contributing to MSD and its impacts on the health of users, & Mitigation strategies.
3. To develop skills for documentation & evaluation of MSD events and developing records management.

ACKNOWLEDGEMENT

All praises to **Allah**, who has given me the strength and guidance to complete this project. The development of this comprehensive study guide on "Health and Safety Management System – II (Monitoring and Auditing)" has been made possible through the collective efforts and support of various individuals. I am deeply grateful to all those who have contributed to the creation of this resource. I extend my heartfelt gratitude to the Vice Chancellor of Allama Iqbal Open University, **Prof. Dr. Nasir Mehmood**, for his unwavering support and facilitation throughout the preparation of this course. I am also thankful to **Prof. Dr. Muhammad Sher**, Dean of the Faculty of Sciences, for her encouragement and assistance.

Special thanks to **Dr. Zaheer Ahmed**, Chairman of the Department of Nutritional Sciences and Environmental Design, for his guidance and trust in this endeavor. I am indebted to the expertise and guidance provided by **Dr. Muhammad Farooq Mustafa**, Assistant Professor, Department of Nutritional Sciences and Environmental Design, whose insights have enriched the content of this study guide. Acknowledgment is also due to the design and editorial team, as well as the production and printing team, for their meticulous work in ensuring the clarity and accessibility of the content presented herein.

Finally, my deepest appreciation goes to the post-graduate students who will utilize this study guide for their learning and professional development in the field of health and safety management. It is my sincere hope that this resource will serve as a valuable tool in their studies and practice. I extend my gratitude to all individuals involved in the creation of this study guide. Your collaboration and support have been indispensable in bringing this project to fruition.

Ar. Nazia Iftakhar
Course Coordinator

CONTENTS

Unit – 1: Work-related upper limb disorders	1
Introduction.....	3
Objectives	3
Learning Outcomes.....	3
1.1 Musculoskeletal Disorders (MSD) and Work-related Upper-Limb Disorders	
4	
1.2 MSD Risk Factors.....	6
1.3 Matching the Workplace to Individual Needs	7
1.4 Control Measures	8
Self-Assessment Questions.....	10
References.....	10
 Unit – 2: Manual Handling Hazards.....	 11
Introduction.....	13
Objectives	13
Learning Outcomes.....	13
2.1 Common Types of Manually Handling Injury.....	14
2.2 Assessing Manually I-kindling Risks	15
2.3 Avoiding or Minimizing the Manual Handling Risks	16
2.4 Efficient Movement Principles	18
Self-Assessment Questions.....	20
References.....	20
 Unit – 3: Manually Operated Powered Load Handling equipment....	 21
Introduction.....	23
Objectives	23
Learning Outcomes.....	23
3.1 Hazards and Safe Use of Manually Operated Load-Handling Equipment	
.....	24
3.2 Powered Load-Handling Equipment.....	25
3.3 Requirements for Safe Lightning Operations	27
3.4 Requirements for Statutory Examination of Lifting Equipment.....	28
Self-Assessment Questions.....	30
References.....	30

Unit – 4: Hand Tools and Portable Power Tools	31
Introduction.....	33
Objectives	33
Learning Outcomes	33
4.1 Hazards and Controls for Hand Tools	34
4.2 Hazards and Control for Portable Power Tools	36
4.3 Training.....	38
4.4 Reporting systems	39
Self-Assessment Questions	42
References	42
Unit – 5: Machinery Hazards.....	43
Introduction.....	45
Objectives	45
Learning Outcomes	45
5.1 Mechanical Hazards	46
5.2 Non-Mechanical Hazards.....	48
5.3 Issues of non-compliance.....	49
5.4 Health concerns and safety	50
Self-Assessment Questions	54
References	54
Unit – 6: Control Measures for Machinery Hazards.....	55
Introduction.....	57
Objectives	57
Learning Outcomes	58
6.1 Machinery Safeguarding Methods.....	59
6.2 Specific Machinery Examples-Hazards and Control Measures.....	59
6.3 Requirements for Guard and Safety Devices.....	60
6.4 Control measures	61
Self-Assessment Questions	64
References	64
Unit – 7: Other General Requirements for Work Environment.....	65
Introduction.....	67
Objectives	67

Learning Outcomes	67
7.1 Preventing Access to Dangerous Parts of Machinery	68
7.2 Restricting Use	70
7.3 Maintenance Requirements	70
7.4 Monitoring	71
7.5 Equipment Controls and Environmental Factors	72
Self-Assessment Questions	74
References	74
 Unit – 8: Training and Education.....	75
Introduction	77
Objectives	77
Learning Outcomes	77
8.1 Types of Work Equipment.....	78
8.2 Suitability	79
8.3 Information	80
8.4 Instruction and Training.....	81
Self-Assessment Questions	84
References	84
 Unit – 9: Follow-up Procedure.....	85
Introduction	87
Objectives	87
Learning Outcomes	87
9.1 Monitoring and Assessment.....	88
9.2 Documentation	90
9.3 Evaluating Risk Factors	91
9.4 Control Measures	92
Self-Assessment Questions	94
References	94

UNIT-1

WORK RELATED UPPER LIMB DISORDERS

Written by:
Nazia Iftakhar

Reviewed by:
Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	1
Objectives	1
Learning Outcomes	1
1.1 Musculoskeletal Disorders and Work-Related Upper-Limb Disorders	4
1.2 MSD Risk Factors.....	6
1.3 Matching the Workplace to Individual Needs	7
1.4 Control Measures	8
Self-Assessment Questions	10
References	10

INTRODUCTION

This unit examines musculoskeletal disorders (MSDs) that affect the upper limbs, such as repetitive strain injury, tendonitis, carpal tunnel syndrome, and shoulder or neck pain, which are often linked to repetitive motions, awkward postures, excessive force, or prolonged static work. It highlights how these conditions develop, their impact on worker health and productivity, and the importance of early identification and reporting to prevent long-term disability. The unit also emphasizes workplace ergonomics, including the adaptation of tools, tasks, and workstations to suit individual needs, as well as the implementation of control measures that reduce risks, improve comfort, and foster healthier and safer working environments.

UNIT OBJECTIVES

1. To understand different types of MSDs and upper-limb disorders.
2. To identify workplace factors contributing to MSD risks.
3. Learn ergonomic solutions to match workstations to individual needs.

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. Explain the nature and causes of MSDs.
2. Recognize key risk factors in the workplace.
3. Recommend control measures to reduce MSD incidence.

1.1 MUSCULOSKELETAL DISORDERS (MSD) AND WORK-RELATED UPPER-LIMB DISORDERS

Musculoskeletal Disorders (MSDs) represent one of the most significant occupational health challenges faced by modern workplaces across the world. MSDs are defined as injuries or disorders affecting the body's musculoskeletal system, including muscles, tendons, ligaments, joints, cartilage, nerves, and supporting blood vessels. These disorders may arise suddenly as a result of accidents, such as falls or improper lifting, or they may develop gradually due to repeated strain, prolonged static postures, or sustained exposure to ergonomic stressors.

Among the various categories of MSDs, Work-Related Upper Limb Disorders (WRULDs) are particularly prevalent. WRULDs refer specifically to musculoskeletal conditions affecting the neck, shoulders, arms, elbows, wrists, and hands, where work activities play a significant causal or contributory role. Unlike acute injuries, WRULDs are typically cumulative trauma disorders, meaning that the damage develops slowly over time as tissues are repeatedly stressed beyond their capacity to recover.




Figure 1.1: Musculoskeletal Disorders

In contemporary work environments, ranging from office-based computer work to heavy industrial operations, WRULDs have become a silent but widespread occupational health problem. According to the World Health Organization (WHO, 2022), musculoskeletal disorders account for nearly 30% of all work-related absenteeism globally, leading to substantial economic losses and reduced quality of life for affected workers. Similarly, the European Agency for Safety and Health at Work (EU-OSHA, 2023) estimates that more than 40 million workers in Europe experience upper-limb pain or discomfort linked directly to their work activities.

One of the defining characteristics of WRULDs is their gradual onset. Early symptoms are often mild and intermittent, such as occasional tingling or stiffness, which leads many workers to ignore or underestimate the seriousness of the condition. Over time, however, continued exposure to risk factors may result in chronic inflammation, nerve compression, reduced functional ability, and, in severe cases, permanent disability. Common symptoms associated with WRULDs include pain in the neck or shoulders, numbness or tingling in the fingers, weakness in grip strength, swelling of tendons, reduced coordination, and early muscle fatigue. If these symptoms are not addressed promptly, they may progress into well-defined clinical conditions such as Carpal Tunnel Syndrome, tendinitis, epicondylitis, or rotator cuff injuries.

WRULDs are observed across a wide range of sectors. Office workers frequently experience wrist and neck disorders due to prolonged computer use and poor workstation design. Manufacturing and assembly-line workers may perform thousands of repetitive hand movements each day, leading to tendon inflammation and muscle fatigue. Construction workers are exposed to forceful exertion, awkward postures, and vibration from power tools, increasing the risk of shoulder injuries and Hand-Arm Vibration Syndrome (HAVS). Healthcare workers, particularly nurses and caregivers, often suffer upper limb and back disorders due to repetitive patient handling. Agricultural workers, engaged in prolonged manual tasks such as harvesting or pruning, are also highly susceptible.

In Pakistan, WRULDs are increasingly recognized as a major occupational health concern, particularly in the textile, manufacturing, healthcare, and construction sectors. A study published in the Journal of Health and Rehabilitation Research (2024) reported that 58% of garment factory workers in Faisalabad experienced persistent upper limb pain due to repetitive stitching tasks, poor seating design, and lack of ergonomic awareness. These findings highlight the urgent need for improved ergonomic interventions and worker education at the national level.



Figure 1.2: Prevention of Musculoskeletal Disorders in the Workplace

1.2 MSD RISK FACTORS

Work-Related Upper Limb Disorders do not arise from a single cause. Instead, they result from the interaction of multiple risk factors that may be physical, organizational, environmental, or individual in nature. The risk of developing WRULDs increases significantly when several of these factors coexist or persist over long durations without adequate recovery time.

i. Physical Risk Factors

Physical or biomechanical risk factors are among the most direct contributors to WRULDs. One of the most common is repetition, where the same movement is performed repeatedly with little variation. Repetitive actions cause microtrauma to muscles and tendons, which, over time, leads to inflammation and tissue degeneration. For example, prolonged keyboard typing or repetitive packing tasks on an assembly line place continuous stress on the wrist and forearm muscles.

Another important factor is forceful exertion, which occurs when tasks require excessive muscular effort. Forceful gripping, lifting heavy objects, or using hand tools that require high torque significantly increases strain on tendons and joints. Construction workers handling concrete blocks or mechanics using manual wrenches are particularly exposed to this risk.

Awkward and static postures also play a major role in the development of WRULDs. When joints are held in non-neutral positions, such as reaching above shoulder height, bending the neck forward, or twisting the wrist, muscles must work harder to maintain stability, leading to early fatigue and restricted blood flow. Electricians working overhead for extended periods are a typical example.

Exposure to vibration is another well-established risk factor. Prolonged use of vibrating tools such as pneumatic drills, grinders, or chainsaws can damage nerves, blood vessels, and connective tissues, resulting in conditions like Hand-Arm Vibration Syndrome. Additionally, contact stress, where soft tissues are pressed against hard edges (such as wrists resting on sharp desk surfaces), can compress nerves and reduce circulation.

ii. Organizational and Psychosocial Risk Factors

Beyond physical demands, organizational and psychosocial factors significantly influence WRULD risk. High work pace, time pressure, insufficient rest breaks, and monotonous tasks limit opportunities for muscle recovery. Workers with low job control or poor supervisory support often experience increased muscle tension due to stress, which further exacerbates physical strain.

Some research also demonstrated that psychosocial stressors such as high workload and lack of autonomy increased the risk of WRULDs by 20–30%, even when physical working conditions were relatively moderate. This finding emphasizes that WRULD prevention must address both physical and organizational dimensions of work.

iii. Environmental and Individual Factors

Environmental conditions such as cold temperatures can stiffen muscles and reduce flexibility, making tissues more susceptible to injury. Poor lighting may force workers into awkward postures, while excessive noise contributes to fatigue and reduced concentration. Individual factors, including age, gender, physical fitness, and previous injuries, also influence susceptibility. Older workers generally have slower tissue recovery, while women may be at higher risk for certain wrist and hand disorders due to anatomical differences. Poor physical conditioning or obesity further increases joint loading and strain.

Table 1.1: WRULD Risk Factors

Category	Risk Factor	Workplace Context
Physical	Repetition, force, posture	Assembly lines, computer work
Organizational	High workload, low autonomy	Manufacturing, service sector
Environmental	Poor lighting, cold	Workshops, storage areas
Individual	Fatigue, prior injury	All occupational settings

1.3 Matching the Workplace to Individual Needs

Ergonomics plays a central role in the prevention of WRULDs by ensuring that work systems are designed to fit human capabilities rather than forcing workers to adapt to poorly designed tasks or environments. According to the International Ergonomics Association (IEA, 2021), ergonomics aims to optimize human well-being and overall system performance by improving the interaction between people, work tasks, equipment, and the work environment.

Core ergonomic principles include adjustability, allowing workstations to accommodate different body sizes and postures; neutral postures, which minimize strain on joints and muscles; appropriate reach zones, ensuring frequently used tools are within easy reach; and work–rest cycles, which allow adequate recovery from repetitive activity. Task variety and job rotation further reduce cumulative strain.

In office environments, ergonomic interventions such as adjustable chairs with lumbar support, properly positioned monitors at eye level, and ergonomic keyboards significantly reduce neck and wrist strain. In manufacturing settings, adjustable conveyor heights and ergonomically designed hand tools help workers maintain neutral postures. Healthcare facilities benefit from patient lifting devices and height-adjustable beds, which reduce shoulder and upper limb injuries among caregivers. In construction, anti-vibration gloves and lightweight tools with balanced designs mitigate vibration-related disorders.

Organizational ergonomics extends beyond physical design to include workflow planning, communication, and worker involvement. Participatory ergonomics, where workers actively contribute to identifying risks and redesigning tasks, has been shown to produce substantial safety improvements. For example, a Karachi-based automotive plant (2023) reported a 35% reduction in shoulder injuries and improved productivity after implementing participatory ergonomic workshops.

Case Box 1: Ergonomic Adaptation

In a production facility, workers experienced persistent shoulder pain due to fixed-height workbenches. After introducing adjustable benches and rotating tasks, reported discomfort decreased significantly, and output quality improved. This illustrates how matching work design to individual needs benefits both health and productivity.

1.4 CONTROL MEASURES

Effective prevention and management of WRULDs requires a systematic approach based on the hierarchy of control, which prioritizes higher-level interventions over reliance on individual behavior.

At the highest level, elimination and substitution involve removing hazardous tasks altogether or replacing them with safer alternatives. Automation of repetitive manual operations or replacement of heavy tools with power-assisted equipment significantly reduces physical strain.

- **Engineering controls** involve redesigning workstations, introducing adjustable equipment, mechanical lifting aids, anti-fatigue mats, and vibration-dampening handles. These controls directly reduce exposure to risk factors without relying on worker compliance.
- **Administrative controls** include job rotation, scheduling rest breaks, workload management, and ergonomic training programs. While less effective than engineering controls, they play an important supporting role.
- **Health surveillance** is essential for early detection of WRULD symptoms. Regular screening, occupational health assessments, and timely physiotherapy interventions help prevent progression to chronic disability.

Finally, worker education and engagement ensure that employees recognize early warning signs, adopt safe work practices, and participate actively in prevention efforts. Stretching exercises, warm-up routines, and awareness campaigns further support musculoskeletal health. Practical examples demonstrate the effectiveness of these measures. In the healthcare sector, “no manual lift” policies combined with mechanical aids reduced nurse injuries by 45%. Construction projects that

introduced job rotation and tool redesign achieved a 30% reduction in vibration-related injuries, while office environments adopting sit–stand workstations reported significant improvements in comfort and reduced wrist pain.




Figure 1.3: Work-Related Upper Limb Disorders (WRULD)

Work-Related Upper Limb Disorders represent a major occupational health challenge with serious human, economic, and organizational consequences. Their gradual onset often masks their severity, allowing minor discomfort to progress into chronic disability if preventive measures are not implemented.

Preventing WRULDs requires an integrated, multidisciplinary approach that combines ergonomic design, organizational commitment, worker participation, and continuous monitoring. By aligning work demands with human capabilities, both physical and psychological, organizations can protect worker health, enhance productivity, and foster a sustainable culture of safety and well-being.

Self-Assessment Questions

1. What are musculoskeletal disorders (MSDs) and how are they related to workplace activities?
2. Define work-related upper limb disorders (WRULDs) with one example from the workplace.
3. What are the major risk factors contributing to MSDs in occupational settings?
4. Why is it important to match the workplace to individual worker needs?
5. Mention any two control measures used to prevent work-related upper limb disorders.

References

1. World Health Organization, (2022), Musculoskeletal Health; Available at <https://www.who.int/news-room/fact-sheets/detail/musculoskeletal-conditions>
2. EU-OSHA, Musculoskeletal disorders; Available at <https://osha.europa.eu/en/themes/musculoskeletal-disorders>
3. Arif, A., Hamid, M. F., Kashif, M., Farooqi, A., Hassan, M., and Ghaffar, N. (2024). Musculoskeletal Disorders and Ergonomics Risk Assessment among Sewing Machine Operators and Tailors. Journal of Health and Rehabilitation Research, 4(2). <https://doi.org/10.61919/jhrr.v4i2.704>
4. IEA, (2021), Principles and guidelines for human factors/ergonomics design and management of work systems. Available at https://www.ilo.org/sites/default/files/wcmsp5/groups/public/@ed_dialogue/@lab_admin/documents/publication/wcms_826596.pdf
5. Hughes, P. and Ferrett, E. Introduction to Health and Safety at Work, Handbook for NEBOSH National General Certificate, 5th Edition, USA.

UNIT-2

MANUAL HANDLING HAZARDS

Written by:
Nazia Iftakhar

Reviewed by:
Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	13
Objectives	13
Learning Outcomes	13
2.1 Common Types of Manually Handling Injury.....	14
2.2 Assessing Manually Handling Risks	15
2.3 Avoiding or Minimizing the Manual Handling Risks	16
2.4 Efficient Movement Principles	18
Self-Assessment Questions	20
References	20

INTRODUCTION

This unit addresses the wide range of hazards associated with manual handling tasks, such as lifting, lowering, pushing, pulling, or carrying loads using bodily force. These activities are a leading cause of musculoskeletal injuries, including back strains, sprains, and long-term spinal disorders, which can significantly affect both worker health and organizational efficiency. The unit emphasizes the importance of identifying common injuries linked to manual handling, assessing risk factors such as load weight, posture, and frequency, and applying safe lifting and movement techniques. It also explores preventive strategies, including the use of mechanical aids, ergonomic adjustments, and workplace design improvements, to avoid or minimize risks and promote safer manual handling practices.

UNIT OBJECTIVES

1. To identify types of injuries from manual handling.
2. To learn methods to assess manual handling risks.
3. To apply efficient movement and lifting principles.

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. List common manual handling injuries.
2. Conduct basic risk assessments for manual tasks.
3. Demonstrate correct manual handling techniques.

2.1 COMMON TYPES OF MANUAL HANDLING INJURY

Manual handling remains one of the most persistent causes of occupational injury across all sectors of employment. Despite technological advancement and increased awareness of occupational health and safety, tasks involving lifting, carrying, pushing, pulling, or moving loads by human effort continue to place workers at significant risk of injury. These injuries are often preventable, yet they account for a large proportion of musculoskeletal disorders (MSDs), lost working days, compensation claims, and long-term disability.

Manual handling injuries develop when physical demands exceed the body's natural capacity, particularly when tasks are repetitive, loads are heavy or awkward, and work is performed in poor environmental conditions. Manual handling injuries most commonly affect the musculoskeletal system, particularly the lower back, shoulders, neck, arms, and knees. These injuries may occur suddenly due to a single improper lift or gradually as a result of cumulative strain over time. In many cases, workers do not immediately recognize the severity of the damage, allowing minor discomfort to progress into chronic injury.




Figure 2.1: Manual Handling & Back Injury Prevention

Lower back injuries are the most frequently reported manual handling injuries. These include muscle strains, ligament sprains, disc herniation, and nerve compression. Improper lifting techniques, such as bending at the waist rather than the knees, twisting while carrying loads, or lifting objects that are too heavy, place excessive pressure on the spinal structures. In construction and warehousing environments, repeated lifting of materials like cement bags, cartons, or equipment significantly increases the likelihood of lumbar spine injuries.

Upper limb injuries are also common, particularly in jobs involving repetitive lifting, carrying, or handling of smaller loads. Tendinitis and tenosynovitis occur when tendons in the shoulders, elbows, or wrists become inflamed due to repetitive movements or sustained force. Workers in manufacturing, retail stocking, and

healthcare frequently experience such injuries when manual tasks are performed continuously without adequate recovery time.

Sprains and soft tissue injuries often result from sudden or unexpected movements, such as attempting to stop a falling load or slipping while carrying an object. These injuries are prevalent in environments with poor housekeeping, uneven flooring, or limited workspace. In healthcare settings, for example, nurses assisting patients without proper aids are at high risk of acute muscle injuries and long-term spinal damage.

Cumulative trauma disorders develop gradually when muscles and joints are subjected to repeated stress without sufficient rest. These injuries are particularly common in industries where manual handling tasks are repetitive and time-pressured. Over time, fatigue reduces muscular control, increasing the likelihood of error and injury. Therefore, manual handling injuries should be viewed not as isolated incidents but as outcomes of poorly designed work systems.

Case Box 2: Manual Handling Injury in Healthcare

In a hospital ward, nursing staff regularly assisted patients without mechanical lifting aids due to time pressure. Over several months, multiple staff members reported lower back pain, and two required extended medical leave. Introduction of patient-handling equipment and training significantly reduced injury rates, highlighting the importance of eliminating manual lifting where possible.

2.2 ASSESSING MANUALLY HANDLING RISKS

The risk of injury from manual handling arises from the interaction between the task, the load, the working environment, and individual worker characteristics. Understanding these risk factors is essential for identifying hazardous activities and implementing effective preventive measures.

Task-related factors play a significant role in determining injury risk. Repetitive handling tasks, especially those performed over long periods without rest, cause cumulative strain on muscles and joints. Tasks that require bending, twisting, reaching, or lifting above shoulder height increase spinal stress and disrupt natural body alignment. Prolonged handling activities also lead to muscle fatigue, reducing coordination and increasing the likelihood of sudden injury.

Load-related factors are equally important. The weight of the load is an obvious contributor to risk; however, shape, size, and stability are often more critical. Bulky or uneven loads make it difficult to maintain balance and a secure grip, forcing workers into awkward postures. Loads with shifting contents can move unexpectedly, causing sudden muscular effort and loss of control. Handling hot, cold, sharp, or slippery objects further increases risk by triggering reflexive movements.

Environmental factors significantly influence manual handling safety. Limited space restricts movement and prevents workers from adopting safe postures. Poor lighting reduces depth perception and obstacle awareness, increasing the risk of misjudgment. Slippery, uneven, or cluttered floors raise the likelihood of slips and falls while handling loads. Extreme temperatures also affect physical capacity; cold environments reduce muscle flexibility, while hot environments accelerate fatigue and dehydration.

Individual factors must also be considered. Workers differ in strength, fitness, age, experience, and health status. Inexperienced workers are particularly vulnerable due to a lack of training and hazard awareness. Fatigue, whether physical or mental, reduces concentration and coordination, increasing the risk of improper handling. Pre-existing injuries or health conditions further reduce tolerance to manual tasks.

table 2.1: manual handling risk factors

Risk Category	Key Contributors	Workplace Examples
Task	Repetition, awkward posture, duration	Bricklaying, assembly lines
Load	Heavy, bulky, unstable	Warehousing cartons
Environment	Poor lighting, slippery floors	Cold storage facilities
Individual	Fatigue, lack of training	New or temporary workers

2.3 AVOIDING OR MINIMIZING MANUAL HANDLING RISKS

Avoiding or minimizing manual handling risks is a fundamental requirement of effective occupational health and safety management. The primary objective is not merely to teach workers how to lift correctly, but to reduce reliance on manual handling wherever reasonably practicable. This approach aligns with international best practice and reflects the principle that human physical capacity should not be the primary means of managing heavy or repetitive loads.

The most effective method of risk reduction is the elimination of manual handling tasks at the design or planning stage. This may involve redesigning work processes, altering workplace layouts, or modifying material flow so that loads are delivered directly to their point of use. For example, relocating storage areas closer to workstations or using gravity-fed systems can significantly reduce the frequency and distance of manual handling activities.

Where elimination is not feasible, engineering controls play a critical role in minimizing risk. Mechanical handling aids such as trolleys, pallet trucks, hoists, conveyors, lift tables, and adjustable work platforms substantially reduce physical demands on workers. These controls are particularly effective because they address the hazard at its source and do not rely on individual behavior or physical strength.

Even simple engineering solutions, such as reducing load size or improving handle design, can lead to measurable reductions in musculoskeletal strain.

- **Workplace design** is another important factor in minimizing manual handling risks. Adequate space must be provided to allow safe postures and movement. Narrow aisles, poor storage arrangements, and cluttered work areas force workers into awkward positions, increasing the likelihood of injury. Floor conditions should be stable, dry, and well-maintained to reduce slip and trip hazards during load handling.
- **Administrative controls** complement engineering measures by influencing how work is organized. These include limiting the duration of manual handling tasks, introducing job rotation to vary physical demands, and scheduling sufficient rest breaks to allow muscle recovery. Team handling may be appropriate for large or awkward loads; however, it must be properly coordinated, as poorly synchronized team lifting can increase rather than reduce injury risk.

Training remains an essential supporting measure, but should not be viewed as the primary control strategy. Workers must be trained to recognize hazardous manual handling tasks, understand risk assessment outcomes, and use mechanical aids correctly. Importantly, training should also emphasize personal limitations and encourage workers to avoid unsafe lifting rather than attempting to complete tasks beyond their physical capacity.

Personal protective equipment (PPE), such as gloves and safety footwear, may assist in improving grip and stability but provides limited protection against musculoskeletal injury. PPE should therefore only be used as a supplementary measure alongside higher-level controls. Effective risk minimization also depends on monitoring and review. Changes in workload, workforce composition, or work processes can introduce new manual handling risks. Regular review of injury data, near-miss reports, and worker feedback ensures that control measures remain effective and appropriate.




Figure 2.2: Musculoskeletal Disorders, related to Workplace Ergonomics

Case Box 3: Warehouse Risk Reduction

In a distribution warehouse, frequent manual lifting of cartons resulted in high injury rates. After introducing palletized storage, adjustable lift tables, and revised work schedules, manual handling incidents reduced noticeably within one year, demonstrating the effectiveness of engineering controls.

2.4 EFFICIENT MOVEMENT PRINCIPLES

Efficient movement principles focus on reducing biomechanical stress on the body during manual handling activities. These principles are based on an understanding of human anatomy, body mechanics, and the distribution of forces during movement. When applied consistently, efficient movement significantly reduces the risk of acute injury and cumulative musculoskeletal disorders.

One of the most important principles is maintaining a neutral body posture. A neutral posture allows joints to remain in their natural alignment, minimizing strain on muscles, tendons, and ligaments. During lifting tasks, the spine should be kept as upright as possible, avoiding excessive bending or twisting. Bending at the knees and hips rather than the waist allows stronger leg muscles to perform the majority of the work.

Keeping the load close to the body is essential for reducing spinal loading. As the distance between the load and the body increases, the leverage effect on the spine increases exponentially, placing greater stress on the lower back. Workers should therefore hold loads at waist height and avoid reaching or extended arm positions whenever possible.

- Twisting movements during lifting or carrying should be avoided, as they significantly increase the risk of spinal injury. Where direction changes are necessary, workers should reposition their feet and turn their entire body rather than rotating the torso. Similarly, sudden or jerky movements should be avoided, as they place high dynamic loads on muscles and joints.
- Balance and stability are critical for safe movement. Workers should adopt a stable stance with feet shoulder-width apart to maintain balance. Adequate footwear with slip-resistant soles supports stability, particularly in environments where floor conditions may vary. Good balance reduces the likelihood of slips, trips, and uncontrolled movements while handling loads.

Planning is a key but often overlooked aspect of efficient movement. Before attempting any manual handling task, workers should assess the load, determine whether assistance or mechanical aids are required, and ensure that the travel path

is clear. Anticipating obstacles, changes in floor level, or restricted spaces prevents last-minute adjustments that can lead to injury. Team handling requires particular attention to movement coordination. All members of the team should be of similar height and strength, where possible, and a clear leader should coordinate movements. Poor communication during team lifting often results in uneven load distribution and increased injury risk.



Figure 2.3: Manual Handling and Lifting of Heavy Goods

Efficient movement principles are most effective when reinforced through practical training and supervision. Workers must be given opportunities to practice correct techniques under realistic conditions. Supervisors play a vital role in observing manual handling practices, correcting unsafe behaviors, and reinforcing safe movement patterns.

Over time, consistent application of efficient movement principles contributes not only to injury prevention but also to reduced fatigue, improved task efficiency, and greater worker confidence. When combined with ergonomic design and appropriate control measures, these principles form a strong foundation for sustainable manual handling safety.

Self-Assessment Questions

1. What is meant by manual handling in workplace safety?
2. Identify two common injuries associated with improper manual handling.
3. What factors should be considered when assessing manual handling risks?
4. Explain the importance of proper lifting techniques.
5. Name two mechanical aids that can reduce manual handling hazards.

References

1. Health and Safety Executive, Manual handling at work. Available at <https://www.hse.gov.uk/msd/manual-handling/index.htm>
2. Health Working Lives, Common hazards. Available at <https://www.healthyworkinglives.scot/how-to-keep-your-workplace-safe/managing-health-and-safety/common-hazards/manual-handling/>
3. Golabchi, A., Miller, L., and Tavakoli, M. (2022). Impact of Passive Back-Support Exoskeletons on Manual Material Handling Postures in Construction. 39th International Symposium on Automation and Robotics in Construction (ISARC 2022). <https://doi.org/10.22260/ISARC2022/0050>
4. Hughes, P. and Ferrett, E. Introduction to Health and Safety at Work, Handbook for NEBOSH National General Certificate, 5th Edition, USA.
5. Rajendran, M., Sajjeev, A., Shanmugavel, R., and Rajpradeesh, T. (2021). Ergonomic evaluation of workers during manual material handling, 46(17), 7770-7776. <https://doi.org/10.1016/j.matpr.2021.02.283>

UNIT-3

MANUALLY OPERATED POWERED LOAD HANDLING EQUIPMENT

Written by:
Nazia Iftakhar

Reviewed by:
Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	23
Objectives	23
Learning Outcomes	23
3.1 Hazards and Safe Use of Manually Operated Load-Handling Equipment	24
3.2 Powered Load-Handling Equipment.....	25
3.3 Requirements for Safe Lightning Operations	27
3.4 Requirements for Statutory Examination of Lifting Equipment.....	28
Self-Assessment Questions	30
References	30

INTRODUCTION

This unit focuses on the hazards and safe practices associated with manually operated equipment such as trolleys and pallet trucks, as well as powered load-handling equipment like forklifts, hoists, and cranes. It highlights the risks of accidents caused by overloading, instability, poor maintenance, or operator error, and stresses the importance of adhering to safe operating procedures. The unit also emphasizes the role of proper training, regular inspections, and statutory examinations in ensuring equipment reliability and workplace safety. By exploring both manual and powered systems, students will develop a clear understanding of how to handle loads efficiently, comply with legal requirements, and minimize risks to workers and the surrounding environment.

UNIT OBJECTIVES

1. To identify hazards linked to manual and powered load-handling.
2. To understand safe operating procedures.
3. To learn statutory inspection and maintenance requirements.

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. Describe hazards for both manual and powered equipment.
2. Apply safe operation practices.
3. Explain requirements for inspection and record-keeping.

3.1 HAZARDS AND SAFE USE OF MANUALLY OPERATED LOAD-HANDLING EQUIPMENT

Load-handling equipment is a critical component of modern workplaces, particularly in construction, manufacturing, logistics, ports, and warehousing. These systems significantly reduce physical strain on workers and enable the safe movement of heavy and bulky materials. However, when load-handling equipment is improperly selected, poorly maintained, or operated by untrained personnel, it can introduce severe hazards, including crushing injuries, falls, collisions, and fatal accidents. Manually operated load-handling equipment relies primarily on human effort rather than electrical or mechanical power. Although such equipment is generally perceived as low risk compared to powered machinery, it is responsible for a significant number of workplace injuries due to overexertion, instability, and improper use.

Common Types of Manually Operated Load-Handling Equipment

Manually operated equipment includes hand trolleys, sack trucks, manual pallet jacks, wheelbarrows, pushcarts, chain blocks, and hand-operated hoists. These tools are widely used for short-distance transport and vertical lifting of moderate loads, particularly in construction sites, retail stores, warehouses, and agricultural settings.

Hazards Associated with Manual Equipment

The most common hazards arise from physical strain and loss of load control. Overloading a trolley or pallet jack can lead to tipping or sudden movement, causing crush injuries to feet and hands. Poor balance or uneven surfaces can result in the load shifting unexpectedly, increasing the risk of back injuries or falls. Pinch points in chain blocks or hoists can trap fingers if the equipment is poorly designed or maintained. Environmental factors further increase risk. Slippery floors, ramps, or uneven ground can make manual handling unstable, while confined spaces restrict posture and safe movement. Fatigue also plays a major role, as manually operated equipment requires sustained physical effort.

Safe Use Practices

Safe use begins with selecting equipment appropriate to the load and environment. Workers must ensure that the load does not exceed the equipment's safe working capacity and that the weight is evenly distributed. Manual equipment should be pushed rather than pulled wherever possible to reduce strain on the back and shoulders. Proper posture, controlled movement, and clear travel paths are essential. Routine inspection is critical. Wheels, handles, brakes, chains, and hydraulic mechanisms must be checked regularly for wear or damage. Defective equipment should be removed from service immediately.



Figure 3.1: Common Workplace Hazards and Prevention Measures

Example:

On a construction site, a wheelbarrow overloaded with bricks may tip forward on uneven ground, causing foot injuries. When loads are reduced and paths are leveled, the risk of injury is significantly reduced.

Case Box 4: Manual Equipment Instability

In a warehouse environment, repeated overloading of hand trolleys led to tipping incidents and foot injuries. After enforcing load limits and introducing routine equipment inspections, incidents reduced significantly, highlighting the importance of basic control measures.

3.2 POWERED LOAD-HANDLING EQUIPMENT

Powered load-handling equipment uses mechanical, electrical, hydraulic, or pneumatic energy to lift and move loads. Examples include forklift trucks, powered pallet trucks, mobile cranes, tower cranes, hoists, and lifting platforms. These systems allow movement of heavier loads over greater distances but introduce higher-severity hazards due to increased mass, speed, and operating complexity. One of the most serious hazards associated with powered equipment is vehicle overturning, particularly in forklift operations. Overturning may occur due to

excessive speed, sharp turns, uneven surfaces, or raised loads. Collisions with pedestrians, structures, or other vehicles are also common, especially in congested workplaces without effective traffic management systems.

Crane operations present hazards such as falling loads, swinging loads, structural failure, and contact with overhead power lines. Poor communication between operators and signalers, inadequate ground conditions, and adverse weather further increase risk. Electrical hazards, hydraulic system failures, noise, vibration, and restricted visibility are additional concerns. Human factors such as inadequate training, fatigue, and unsafe behaviors remain a leading cause of powered equipment accidents.

Safe operation requires competent operators, adherence to manufacturer instructions, and clear workplace procedures. Speed limits, load capacity restrictions, and visibility aids must be enforced. Pedestrian segregation, warning systems, and designated travel routes significantly reduce collision risk.



Figure 3.2: Types of Powered Load-Handling Equipment

Case Box 5: Forklift–Pedestrian Interaction

In a manufacturing facility, several near-miss incidents occurred due to shared pedestrian and forklift routes. Introduction of marked walkways and traffic rules resulted in a noticeable reduction in incidents, demonstrating the effectiveness of organizational controls.

3.3 REQUIREMENTS FOR SAFE LIFTING OPERATIONS

Safe lifting operations require careful planning, coordination, and supervision. Lifting tasks must never be improvised, particularly when heavy or suspended loads are involved.

Planning and Risk Assessment

Every lifting operation should be preceded by a risk assessment that considers load weight, dimensions, stability, lifting route, environmental conditions, and personnel involved. Complex or high-risk lifts require a documented lifting plan prepared by a competent person.

Load Control and Stability

Loads must be properly secured using appropriate slings, chains, hooks, or pallets. The center of gravity must be understood to prevent tilting or swinging. Sudden movements should be avoided, and lifting should be performed smoothly and steadily.

Communication and Supervision

Clear communication is essential during lifting operations. Standard hand signals, radios, or designated signalers should be used, particularly when visibility is limited. Supervisors must ensure that unauthorized personnel are kept away from lifting zones.

Environmental Considerations

Weather conditions such as wind, rain, or poor visibility significantly affect lifting safety, especially for outdoor crane operations. Lifting should be suspended when conditions compromise control or visibility.

Example:

In a port operation, lifting was halted during high winds after a suspended container

began to sway dangerously. This preventive action avoided potential fatalities and equipment damage.

Table 3.1: Key Elements of Safe Lifting Operations

Element	Considerations	Risk Reduction
Planning	Load, route, equipment	Prevents improvised lifting
Stability	Center of gravity, securing	Prevents swinging/falling
Communication	Signals, supervision	Avoids miscoordination
Environment	Weather, surface	Maintains control

3.4 REQUIREMENTS FOR STATUTORY EXAMINATION OF LIFTING EQUIPMENT

Statutory examination is a legal requirement designed to ensure that lifting equipment remains safe throughout its service life. Regular examination identifies defects that may not be visible during routine inspections.

i. Legal and Regulatory Framework

Many national and international regulations govern lifting equipment safety. Under the UK Lifting Operations and Lifting Equipment Regulations (LOLER) 1998, lifting equipment must be thoroughly examined by a competent person at specified intervals—typically every 12 months, or every 6 months when used for lifting people. International standards such as ISO 3691 and OSHA 29 CFR 1910.178 provide detailed guidance on inspection, maintenance, and operation of lifting equipment.

ii. Scope of Statutory Examination

Examinations include assessment of structural integrity, load-bearing components, braking systems, controls, safety devices, and warning systems. Any defects that could pose a risk must be reported and rectified before equipment is returned to service.

iii. Documentation and Record Keeping

Employers must maintain records of statutory examinations, inspections, maintenance activities, and repairs. These records provide evidence of compliance and help track recurring defects or performance trends.

Competent Persons

Examinations must be conducted by individuals with sufficient technical knowledge, experience, and independence to identify hazards objectively. Operator training alone does not qualify a person to conduct statutory examinations.

Example:

A manufacturing plant identified a cracked forklift mast during a statutory examination. Early detection prevented catastrophic failure and production shutdown.

Load-handling equipment is indispensable for modern industrial operations, yet it remains a major source of workplace accidents when improperly managed. Both manually operated and powered equipment introduce unique hazards that require systematic control through safe design, proper maintenance, competent operation, and legal compliance.

By implementing safe lifting procedures, enforcing training and authorization, and adhering to statutory examination requirements, organizations can significantly reduce injury risk while improving efficiency and reliability. A proactive approach to load-handling safety not only protects workers but also strengthens organizational performance and safety culture.

Self-Assessment Questions

1. What is the difference between manually operated equipment and powered load-handling equipment?
2. Give two examples of powered lifting equipment used in industry.
3. What are the main hazards associated with lifting equipment?
4. Why is regular inspection of lifting equipment necessary?
5. What safety measures should workers follow while operating forklifts or cranes?

References

1. Hughes, P. and Ferrett, E. Introduction to Health and Safety at Work, Handbook for NEBOSH National General Certificate, 5th Edition, USA.
2. 5 Types Of Material Handling Equipment And Their Utilization; Available at <https://www.baronblakeslee.net/5-types-of-material-handling-equipment-and-their-utilization/>
3. Getting a Handle on Manual Handling; Available at <https://www.mastermover.com/en-ca/manual-handling>
4. Material handling Hazards and controls; Available at <https://hsseworld.com/material-handling-hazards-and-controls/>
5. Common Manual Handling Hazards & How to Avoid Them; Available at <https://humanfocus.co.uk/blog/common-manual-handling-hazards-how-to-avoid-them/>

UNIT-4

HAND TOOLS AND PORTABLE POWER TOOLS

Written by:
Nazia Iftakhar
Reviewed by:

Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	33
Objectives	33
Learning Outcomes	33
4.1 Hazards and Controls for Hand Tools	34
4.2 Hazards and Control for Portable Power Tools	36
4.3 Training.....	38
4.4 Reporting systems.....	39
Self-Assessment Questions	42
References	42

INTRODUCTION

This unit focuses on the safe use of hand tools and portable power tools, which are widely used across different work environments but can pose significant risks when handled improperly. It examines common hazards such as cuts, abrasions, puncture wounds, electric shocks, flying particles, and excessive noise exposure that may result from misuse, poor maintenance, or defective equipment. The unit emphasizes the importance of selecting the right tool for the task, ensuring tools are well-maintained and inspected regularly, and providing workers with adequate training to promote competent and safe use. It also highlights the role of reporting systems and supervision in identifying unsafe practices and preventing the recurrence of incidents. By reinforcing a culture of safety, the unit aims to reduce accidents and health risks while ensuring that tools are used efficiently and responsibly in the workplace.

UNIT OBJECTIVES

1. To recognize hazards from improper tool use.
2. To learn control measures for tool safety.
3. To understand the role of training and reporting systems.

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. Identify hazards for different tool types.
2. Recommend control measures and maintenance practices.
3. Follow correct reporting and training procedures.

4.1 HAZARDS OF HAND AND PORTABLE POWER TOOLS

Hand tools are among the oldest and most widely used work equipment across all industries. Despite their simple design and manual operation, hand tools are responsible for a significant number of occupational injuries every year. These injuries often occur because hand tools are perceived as low risk, leading to complacency, improper selection, poor maintenance, or unsafe work practices. In construction, manufacturing, agriculture, maintenance workshops, and even office environments, hand tools such as hammers, screwdrivers, pliers, spanners, chisels, knives, and hand saws are used daily and often without adequate safety consideration.

The hazards associated with hand tools arise primarily from mechanical action and human error. Cuts, puncture wounds, and abrasions are common when sharp-edged tools slip or are used with excessive force. Impact injuries frequently occur when striking tools such as hammers or chisels, which cause flying fragments of metal, wood, or stone. Eye injuries are particularly prevalent when tasks like chiseling, cutting, or hammering are performed without eye protection. In addition, prolonged or repetitive use of hand tools can result in musculoskeletal disorders, including tendinitis, carpal tunnel syndrome, and chronic wrist or elbow pain.



Figure 4.1: Hand and Portable Power Tools

Another major hazard associated with hand tools is tool failure due to poor condition. Cracked handles, mushroomed chisel heads, loose hammer heads, or worn screwdriver tips can all lead to sudden loss of control. For example, a worn screwdriver may slip out of a screw head and puncture the user's palm, while a cracked wooden handle on a hammer may break during use, causing the head to detach and strike a nearby worker. Tools dropped from height, such as from scaffolding or ladders, also pose a serious risk to workers below.

Effective control of hand tool hazards begins with proper tool selection. Workers must use tools that are specifically designed for the task being performed, rather than improvising with unsuitable equipment. Insulated tools must be used for electrical work, non-sparking tools in flammable environments, and appropriately sized tools to avoid excessive force. Pre-use inspection is a critical control measure and should be a routine habit. Tools should be checked for damage, wear, or defects, and any unsafe tools should be removed from service immediately.

Safe use practices further reduce risk. Tools should be used with correct posture and grip, avoiding awkward wrist positions or overreaching. Cutting tools should always be directed away from the body, and sufficient workspace should be provided to prevent accidental contact with others. Proper storage is also essential; tools should be kept in toolboxes, racks, or belts rather than left on edges, ladders, or machinery where they can fall.

Ergonomic considerations play an increasingly important role in hand tool safety. Poorly designed tools that require excessive grip force or awkward wrist positions contribute significantly to fatigue and long-term injury. Ergonomically designed tools with padded, non-slip handles, appropriate handle diameters, and balanced weight distribution help reduce strain and improve control. Task rotation and regular rest breaks further help prevent cumulative trauma disorders, particularly in repetitive assembly or maintenance work.




Figure 4.2: Hand Tool Design for User

Personal protective equipment (PPE) acts as a supplementary control. Safety glasses protect against flying debris, gloves improve grip and reduce cuts (where appropriate), and safety footwear protects against dropped tools. However, PPE should never be relied upon as the sole protective measure; it must be combined with proper tool management and safe working practices.

4.2 HAZARDS AND CONTROLS FOR PORTABLE POWER TOOLS

Portable power tools significantly increase productivity by reducing manual effort and completing tasks more quickly. These tools include electric drills, grinders, sanders, circular saws, chainsaws, pneumatic tools, and hydraulic equipment. While their benefits are substantial, the hazards associated with portable power tools are more severe than those of hand tools due to higher energy input, moving parts, vibration, noise, and electrical or pneumatic power sources.

In a maintenance workshop, repeated use of damaged chisels resulted in metal fragments striking workers' hands and faces. After implementing a formal inspection system and replacing defective tools, hand injuries declined significantly.

Case Box 6: Hand Tool Control Failure

Electrical hazards are among the most serious risks associated with power tools. Damaged cables, exposed conductors, faulty plugs, or wet working conditions can result in electric shock, burns, or fatal electrocution. Fire hazards may arise from overheating, short circuits, or sparks generated by faulty equipment. Mechanical hazards are equally significant and include entanglement of hair, clothing, or gloves in rotating parts, contact with cutting or abrasive surfaces, and projectiles ejected at high speed during grinding or cutting operations.

Vibration exposure is a major long-term hazard, particularly in construction and road work. Prolonged use of vibrating tools such as breakers, grinders, and pneumatic drills can lead to Hand-Arm Vibration Syndrome (HAVS), characterized by numbness, tingling, loss of grip strength, and circulatory damage. Noise hazards are also common, as many power tools exceed safe noise exposure limits, leading to gradual and irreversible hearing loss if adequate controls are not in place.

Fire and explosion hazards arise when power tools generate sparks near flammable substances, vapors, or dust. For example, using an angle grinder in an area where solvents, fuel, or combustible dust are present can result in fires or explosions. Poor housekeeping and lack of hazard awareness significantly increase this risk.

Controlling these hazards requires a layered approach. Electrical safety controls include the use of double-insulated tools, proper grounding, intact cables, and residual current devices (RCDs), especially in damp or outdoor environments.

Tools must be disconnected from the power supply before changing accessories or performing maintenance. Mechanical hazards are controlled by ensuring guards, shields, and safety switches are always in place and functional. Workpieces should be securely clamped, and operators must maintain a stable footing and clear visibility.

Vibration and noise risks can be reduced through tool selection, maintenance, and exposure management. Modern low-vibration tools, anti-vibration handles, and regular servicing reduce harmful exposure. Administrative controls such as job rotation and time limits are essential to prevent excessive exposure. Hearing protection must be provided and enforced in noisy environments, alongside noise monitoring and health surveillance.



Figure 4.3: Essential Safety Tips For Power Tools

Regular maintenance and inspection are critical for portable power tools. Tools should be cleaned, lubricated, and stored correctly after use. Formal inspection schedules and maintenance records help identify defects early and ensure

compliance with safety standards. Faulty tools must be tagged and removed from service immediately to prevent use.

Table 4.1: Portable Power Tool Hazards and Controls

Hazard	Possible Consequence	Control Measure
Moving parts	Cuts, amputation	Guards, safe operation
Electrical faults	Electric shock	Inspection, grounding
Vibration	HAVS	Exposure limits
Noise	Hearing loss	Hearing protection

4.3 TRAINING

Training is one of the most effective measures for preventing tool-related accidents. Even well-designed and well-maintained tools can become dangerous if used by untrained or inexperienced workers. Training ensures that workers understand not only how to operate tools but also the risks associated with improper use and the importance of safety controls.

Effective training programs combine theoretical knowledge with practical instruction. Workers must be trained to identify hazards, select the correct tool, inspect equipment before use, and follow safe operating procedures. Hands-on demonstrations under supervision are essential to build competence and confidence. Training should also cover emergency procedures, including how to respond to electrical shocks, tool malfunctions, fires, or injuries.

Competency assessment is a vital part of training. Workers should only be authorized to use specific tools once they have demonstrated adequate knowledge and skill. Refresher training should be conducted periodically, particularly when new tools are introduced, work processes change, or incidents occur. In high-risk environments such as construction sites and industrial workshops, formal certification and documented training records are essential.

Training also plays a key role in shaping safety culture. When workers understand the reasons behind safety rules and feel confident in using tools correctly, compliance improves, and unsafe shortcuts are less likely. Supervisors and managers must reinforce training through regular toolbox talks, safety meetings, and visible leadership commitment.

Training is a critical element in preventing injuries associated with hand tools and portable power tools. Even well-designed tools can become hazardous if used incorrectly or without adequate understanding of associated risks. Training programs should ensure that workers understand the correct selection, use, inspection, and storage of tools. Workers must be familiar with manufacturer instructions, limitations of tools, and the importance of using guards and safety

devices. Training should also address ergonomic principles to reduce musculoskeletal strain during repetitive tool use.

Induction training is particularly important for new employees and trainees, who may lack familiarity with workplace hazards. Refresher training should be provided periodically, especially when new tools, technologies, or processes are introduced. Practical, hands-on training is more effective than theoretical instruction alone. Supervised practice allows workers to develop safe habits and enables supervisors to identify unsafe behaviors early. Competency assessment ensures that only capable workers operate higher-risk portable power tools.

4.4 REPORTING SYSTEMS

Reporting systems are fundamental to effective safety management and continuous improvement. Tool-related incidents, near-misses, defects, and unsafe conditions must be reported promptly and accurately to prevent recurrence. A strong reporting culture enables organizations to identify trends, address root causes, and improve control measures before serious injuries occur. An effective reporting system includes clear procedures for reporting incidents and near-misses, routine tool inspection records, and corrective action tracking. Workers should be encouraged to report hazards without fear of blame or punishment. Non-punitive reporting policies foster trust and openness, leading to higher reporting rates and better hazard identification.

Incident investigations should focus on understanding what went wrong and why, rather than assigning fault. For example, repeated reports of grinder-related injuries may reveal inadequate guarding, poor training, or unsuitable work environments. Corrective actions may include equipment replacement, revised procedures, or additional training. Legal and organizational requirements reinforce the importance of reporting. Occupational health and safety regulations in many countries mandate the recording and investigation of workplace injuries and dangerous occurrences. Standards such as ISO 45001 emphasize systematic monitoring, documentation, and corrective action as key elements of an effective safety management system. Modern organizations increasingly use digital reporting systems to improve efficiency and traceability. Electronic incident reporting, inspection checklists, and maintenance logs allow real-time analysis and quicker response. Regardless of the system used, management commitment and worker participation are essential for success.

Hand tools and portable power tools are essential to modern work, but present significant hazards if not properly managed. Injuries ranging from minor cuts to fatal electrocutions can occur due to misuse, poor maintenance, inadequate training, or weak reporting systems. By implementing effective hazard controls, investing in

comprehensive training, maintaining robust inspection and reporting systems, and



fostering a proactive safety culture, organizations can significantly reduce tool-related injuries. Safe tool management not only protects workers but

also enhances productivity, reliability, and long-term organizational performance.

Effective reporting systems are essential for identifying hazards, preventing recurrence of accidents, and promoting continuous improvement in tool safety. Reporting should include accidents, near-miss incidents, unsafe conditions, and defective tools. A well-functioning reporting system encourages workers to report

hazards without fear of blame or punishment. Early reporting of defective tools enables timely repair or replacement, preventing potential injuries. Near-miss reports are particularly valuable, as they highlight risks before serious harm occurs. Figure 4.4: Work-related incidents

Reported incidents should be systematically investigated to identify root causes rather than individual faults. Findings from investigations must be communicated to workers, and corrective actions should be implemented and monitored for effectiveness. Documentation of reports provides valuable data for trend analysis, enabling organizations to identify recurring issues related to specific tools, tasks, or environments. Management commitment to reviewing reports and acting on findings is crucial for sustaining an effective reporting culture.

Self-Assessment Questions

1. What are hand tools, and give two examples.
2. Identify two hazards associated with portable power tools.
3. Why is regular inspection of tools necessary before use?
4. What type of personal protective equipment (PPE) is commonly required when using power tools?
5. How can proper tool storage help reduce workplace accidents?

References

1. Hughes, P. and Ferrett, E. Introduction to Health and Safety at Work, Handbook for NEBOSH National General Certificate, 5th Edition, USA.
2. Arciniega-Rocha, R. P., Erazo-Chamorro, V. C. and Szabo, G. (2023). The Prevention of Industrial Manual Tool Accidents Considering Occupational Health and Safety. *Safety*, 9(3), 51. <https://doi.org/10.3390/safety9030051>
3. Kolawole, A., Ikubanni, P. P., and Adeboye, A. S. (2020). Effects of the Vibrations of Powered Hand Tools on Users: A Case Study. *Journal of Applied Engineering Science*, 18(2). <https://doi.org/10.5937/jaes18-22694>
4. Juathai, P. (2022). A study on the effect of power tools vibrations on upper limb (Doctoral dissertation, University of Liverpool). Available at https://livrepository.liverpool.ac.uk/3178777/1/201456932_Dec2023.pdf

UNIT-5

MACHINERY HAZARDS

Written by:
Nazia Iftakhar

Reviewed by:
Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	52
Objectives	52
Learning Outcomes	52
5.1 Mechanical Hazards.....	53
5.2 Non-Mechanical Hazards.....	55
5.3 Issues of non-compliance.....	57
5.4 Health concerns and safety	58
Self-Assessment Questions	61
References	62

INTRODUCTION

This unit highlights the wide range of hazards associated with machinery, distinguishing between mechanical risks—such as entanglement, crushing, cutting, and impact—and non-mechanical hazards, including noise, vibration, heat, electricity, and hazardous substances. It emphasizes how these risks, if unmanaged, can lead to serious injuries, long-term health conditions, or even fatalities, underscoring the importance of compliance with safety regulations and standards. The unit also explores the need for risk assessment, appropriate control measures, and the integration of protective systems to safeguard workers effectively. By raising awareness of both visible and hidden threats, the unit stresses the role of safe design, proper training, and regular maintenance in minimizing risks and ensuring a healthy and secure working environment.

UNIT OBJECTIVES

1. To classify machinery hazards.
2. To understand non-compliance issues.
3. To link machinery hazards to health and safety outcomes.+

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. Differentiate mechanical from non-mechanical hazards.
2. Identify signs of non-compliance.
3. Assess potential health impacts of machinery hazards.

5.1 MECHANICAL HAZARDS

Machinery is an integral component of modern workplaces, enabling high levels of productivity, precision, and efficiency across industries such as manufacturing, construction, mining, agriculture, and transportation. Despite these benefits, machinery also presents some of the most severe occupational hazards. Mechanical hazards, in particular, are responsible for many serious injuries and fatalities because they involve direct contact between workers and moving machine parts. These hazards are often sudden, forceful, and unforgiving, leaving little opportunity for escape once contact occurs.

Mechanical hazards arise primarily from moving parts such as rotating shafts, gears, belts, pulleys, rollers, cutting tools, and press mechanisms. One of the most dangerous mechanical hazards is entanglement, which occurs when loose clothing, gloves, hair, or jewelry becomes caught in rotating components. Once entangled, a worker can be rapidly pulled into the machinery, resulting in fractures, amputations, or fatal crushing injuries. Entanglement incidents are particularly common in textile mills, woodworking shops, and metal fabrication facilities where rotating machinery is widespread.

Crushing hazards occur when a part of the body is caught between a moving component and a fixed structure, such as between a press and a die, or between a moving vehicle and a wall. These injuries often result in severe tissue damage, broken bones, or internal injuries. Shearing hazards are created when two parts move past each other with sufficient force to cut or shear material, as seen in guillotines, presses, and powered shears. Cutting and severing hazards are common in saws, milling machines, and food-processing equipment, where sharp blades are used to cut materials at high speed.

- Common mechanical hazards include **entanglement**, where clothing, hair, or body parts are caught in rotating components such as shafts, belts, gears, and couplings. Entanglement incidents often result in crushing injuries, amputations, or fatalities due to the rapid and forceful nature of machine movement.
- **Crushing and trapping hazards** occur when parts of the body are caught between moving and stationary components, such as in presses, rollers, and hydraulic machinery. These hazards are particularly prevalent during cleaning, adjustment, and maintenance activities when normal guards may be removed.
- **Cutting and shearing hazards** arise from machinery with sharp edges or cutting actions, including saws, guillotines, and cutters. These hazards can result in deep lacerations or amputations, especially when safety guards are missing or bypassed.
- **Impact hazards** occur when moving machine parts strike workers or when materials are ejected due to tool failure, improper loading, or inadequate

maintenance. Flying fragments pose a significant risk of eye and facial injuries.

Mechanical hazards are often intensified by poor machine design, inadequate guarding, lack of preventive maintenance, and unsafe work practices. The severity of injuries associated with mechanical hazards highlights the need for robust safety measures and strict adherence to safe operating procedures.




Figure 5.1: Mechanical Hazards

Impact hazards occur when workers are struck by moving parts, ejected materials, or machine components that break or detach during operation. Drawing-in or trapping hazards occur when rollers, belts, or gears pull body parts into danger zones. Friction and abrasion hazards, while often less dramatic, can still cause serious skin injuries or burns through contact with high-speed rotating surfaces. Mechanical hazards are particularly dangerous because they often result from routine tasks such as cleaning, clearing jams, or adjusting machinery—especially when machines are left running. Many serious accidents occur during maintenance when workers assume machinery is safe, but residual energy remains. Effective control of mechanical hazards, therefore, requires a combination of guarding, safe systems of work, and strict adherence to shutdown procedures.

Case Box 7: Mechanical Hazard Incident

In a manufacturing facility, a worker suffered severe hand injuries after attempting to clear a jam in a machine without isolating the power supply. This incident underscores the dangers of mechanical hazards during non-routine tasks.

5.2 NON-MECHANICAL HAZARDS

In addition to mechanical dangers, machinery generates a wide range of non-mechanical hazards that can seriously affect worker health and safety. These hazards are often less visible than moving parts but can have long-term and cumulative effects on the workforce. Non-mechanical hazards include noise, vibration, heat, electricity, chemicals, and stored energy, all of which must be carefully managed.

Noise is one of the most common non-mechanical hazards associated with machinery. Prolonged exposure to high noise levels, typically above 85 decibels, can lead to permanent noise-induced hearing loss. Unlike mechanical injuries, hearing damage develops gradually and is often irreversible. Workers operating presses, compressors, turbines, or heavy construction equipment are particularly vulnerable if noise controls and hearing protection are not implemented.

Vibration hazards are another significant concern, especially for workers using handheld or ride-on machinery. Hand-arm vibration from tools such as grinders, drills, and chainsaws can lead to Hand-Arm Vibration Syndrome (HAVS), characterized by numbness, tingling, and loss of grip strength. Whole-body vibration, experienced by operators of vehicles and heavy equipment, contributes to spinal disorders and chronic back pain.



Figure 5.2: Non-Mechanical Hazards

Thermal hazards arise from hot surfaces, exhaust systems, molten materials, or friction-generated heat. Burns may occur from direct contact with hot machine parts or from exposure to steam and hot fluids. Electrical hazards are common in electrically powered machinery, particularly when insulation deteriorates, grounding is inadequate, or maintenance is performed incorrectly. Electrical shocks can cause burns, cardiac arrest, or secondary injuries from falls.

Hydraulic and pneumatic systems pose hazards due to stored energy and high pressure. A sudden release of pressurized fluid can cause injection injuries, which are deceptively serious and often require immediate surgical intervention. Chemical hazards may also arise from coolants, lubricants, cleaning agents, or process materials used in machinery, leading to skin disorders, respiratory irritation, or long-term occupational disease.

Effective management of non-mechanical hazards requires engineering controls such as noise enclosures, vibration damping, thermal insulation, and proper electrical protection. Administrative controls, health surveillance, and appropriate PPE further support long-term worker health.

Table 5.1: Non-Mechanical Hazards

Hazard	Source	Potential Effect
Noise	High-speed machines	Hearing loss
Vibration	Rotating equipment	HAVS, fatigue
Thermal	Hot surfaces	Burns
Electrical	Powered machinery	Electric shock
Airborne agents	Dust, fumes	Respiratory illness

5.3 ISSUES OF NON-COMPLIANCE

Non-compliance with machinery safety requirements remains one of the leading contributors to workplace accidents. Despite the availability of safety standards,

regulations, and proven control measures, many organizations fail to implement or maintain adequate safeguards due to cost pressures, lack of awareness, or weak safety culture.

A common issue of non-compliance is the removal or bypassing of machine guards to increase production speed or ease of access. While this may appear to improve efficiency in the short term, it dramatically increases the risk of severe injury. Another widespread issue is failure to implement lockout/tagout procedures during maintenance or cleaning, exposing workers to unexpected machine start-up or release of stored energy.

Inadequate training is another major contributor to non-compliance. Workers who do not fully understand machine hazards or safe operating procedures are more likely to take unsafe shortcuts. Poor supervision and lack of enforcement further exacerbate the problem, sending the message that safety rules are optional rather than mandatory.

Maintenance-related non-compliance is also common. Worn guards, malfunctioning emergency stops, and defective sensors often go unnoticed or unreported due to inadequate inspection systems. Documentation failures, such as missing inspection records or outdated risk assessments, weaken accountability and hinder effective safety management.

The consequences of non-compliance extend beyond injuries. Regulatory penalties, legal action, production downtime, equipment damage, and reputational harm can have long-lasting impacts on organizations. Addressing non-compliance requires strong leadership commitment, clear responsibilities, regular audits, and worker involvement in safety decision-making.

Case Box 8: Consequences of Non-Compliance

In an industrial plant, repeated bypassing of machine guards led to a serious amputation injury. Regulatory investigation revealed long-standing non-compliance, resulting in heavy fines and operational shutdown.

5.4 HEALTH CONCERNS AND SAFETY

Machinery hazards not only cause immediate injuries; they also contribute significantly to long-term occupational health problems. Chronic exposure to noise,

vibration, chemicals, and repetitive tasks can lead to permanent disabilities, reduced quality of life, and early retirement from work. Protecting worker health, therefore, requires a proactive and preventive approach rather than reliance on incident response alone.

Health concerns associated with machinery include hearing loss, musculoskeletal disorders, respiratory illnesses, skin conditions, and stress-related problems. Repetitive machine-paced work, particularly in automated production environments, can lead to physical fatigue and mental strain. Poor workstation design and a lack of ergonomic consideration further increase health risks.

A comprehensive machinery safety program integrates health protection with accident prevention. Safe systems of work define how machinery should be operated, maintained, and monitored under normal and abnormal conditions. Training ensures workers understand not only how to operate machines, but also how to recognize early warning signs of malfunction or health effects.

Preventive maintenance plays a critical role in safeguarding health and safety. Regular inspection and servicing reduce the likelihood of sudden failures and hazardous emissions. Health surveillance programs help detect early signs of occupational illness, allowing intervention before conditions become irreversible.



Figure 5.3: Occupational Diseases

Continuous improvement is achieved through monitoring, reporting, and learning from incidents and near-misses. When organizations treat machinery safety as an ongoing process rather than a one-time compliance exercise, they create safer, healthier, and more sustainable workplaces.

Machinery presents a complex combination of mechanical and non-mechanical hazards that demand systematic control. Severe injuries and long-term health problems can occur when safeguards are absent, procedures are ignored, or

compliance is weak. By addressing mechanical hazards, managing non-mechanical risks, eliminating non-compliance, and prioritizing worker health, organizations can significantly reduce accidents and occupational disease.

Effective machinery safety is achieved through engineering controls, safe systems of work, training, maintenance, and a strong safety culture. When these elements work together, they protect workers, improve productivity, and ensure legal and ethical responsibility in modern industrial operations.

Machinery-related hazards have both immediate and long-term implications for worker health and safety. Acute injuries such as cuts, fractures, and amputations are often sudden and severe, while chronic health conditions develop over time due to prolonged exposure to hazardous conditions. Long-term exposure to noise and vibration can result in permanent sensory and neurological damage. Repeated contact with hazardous substances generated by machinery may lead to respiratory diseases, skin disorders, or systemic illness. Musculoskeletal disorders may develop due to repetitive tasks, awkward postures, or sustained force associated with machine operation.

Protecting worker health requires a comprehensive approach that integrates hazard identification, risk assessment, engineering controls, safe systems of work, health surveillance, and worker participation. Regular medical monitoring enables early detection of occupational illnesses and supports timely intervention. A strong safety culture, supported by management commitment and worker involvement, is essential for addressing health concerns related to machinery. Continuous improvement through training, reporting, and review ensures that safety measures remain effective and responsive to changing workplace conditions.

Self-Assessment Questions

1. What are machinery hazards, and why are they dangerous in industrial workplaces?
2. List two mechanical hazards commonly associated with machinery.
3. What are non-mechanical hazards related to machinery?
4. How can moving parts of machines cause injuries to workers?
5. Why is machine guarding important for worker safety?

References

1. Environmental, Health and Safety Guidelines; available at www.ifc.org
2. Hughes, P. and Ferrett, E. Introduction to Health and Safety at Work, Handbook for NEBOSH National General Certificate, 5th Edition, USA.
3. ILO; Safety and health in the use of machinery; Available at https://www.ilo.org/sites/default/files/wcmsp5/groups/public/@ed_protect/@protrav/@safework/documents/normativeinstrument/wcms_164653.pdf
4. Vijaya S. S., Mohan, S., Nandini, G. K., and Sivasanthosh, C. (2025). ENVIRONMENTAL HEALTH AND SAFETY. RK Publications

UNIT-6

CONTROL MEASURES FOR MACHINERY HAZARDS

Written by:
Nazia Iftakhar

Reviewed by:
Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	57
Objectives	57
Learning Outcomes	57
6.1 Machinery Safeguarding Methods.....	58
6.2 Specific Machinery Examples-Hazards and Control Measures.....	59
6.3 Requirements for Guard and Safety Devices.....	60
6.4 Control measures	61
Self-Assessment Questions.....	64
References.....	64

INTRODUCTION

This unit explains the critical importance of machinery safeguarding in preventing accidents and injuries in the workplace. It covers various methods of safeguarding, including fixed guards, interlocking devices, two-hand controls, and emergency stop mechanisms, while emphasizing their role in protecting workers from moving parts, sharp edges, or unexpected machine activation. Specific hazard examples, such as entanglement, crushing, shearing, and impact risks, are discussed to illustrate the potential dangers of inadequately protected equipment. The unit also outlines regulatory requirements and best practices for selecting, installing, and maintaining guards and safety devices, ensuring they are both effective and practical without hindering productivity. By focusing on these protective measures, the unit highlights how proactive safeguarding reduces risks and promotes a culture of safety in operations involving machinery.

UNIT OBJECTIVES

1. To learn safeguarding methods for machinery.
2. To understand hazard-specific controls.
3. To comprehend legal requirements for guards.

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. Apply different safeguarding methods.
2. Suggest specific hazard control measures.
3. Ensure guards meet safety requirements.

6.1 MACHINERY SAFEGUARDING METHODS

Machinery hazards remain one of the leading causes of serious occupational injuries in industrial, construction, and manufacturing environments. Workers involved in operating, cleaning, adjusting, or maintaining machinery are frequently exposed to risks arising from moving parts, stored energy, and operational errors. Without effective safeguarding and control measures, these hazards can result in severe injuries such as amputations, crushing, fractures, and fatalities.

Machinery safeguarding refers to the use of physical barriers, devices, systems, and design features that prevent workers from coming into contact with hazardous machine parts during operation. The primary purpose of safeguarding is to eliminate or minimize the possibility of injury by restricting access to danger zones associated with cutting, shearing, punching, rotating, and reciprocating machine motions.

Effective safeguarding must consider how a machine is used during normal operation, cleaning, adjustment, and maintenance. A safeguard that is effective during production but easily bypassed during cleaning fails to provide complete protection. Therefore, safeguarding methods must be reliable, difficult to defeat, and compatible with operational requirements.

Fixed guards are among the simplest and most reliable forms of safeguarding. These are permanent barriers securely attached to machinery that prevent access to hazardous parts at all times. Because fixed guards have no moving components, they provide consistent protection and require minimal maintenance. However, their permanent nature can limit access during maintenance, which means safe isolation procedures must accompany their removal.

Interlocked guards provide a higher level of flexibility while maintaining safety. These guards are connected to the machine's control system so that opening or removing the guard automatically stops machine operation. Interlocking systems are particularly useful in environments where frequent access to the point of operation is required, such as automated production lines. Their effectiveness depends heavily on regular inspection and ensuring that interlocks are not bypassed. Adjustable and self-adjusting guards are commonly used where materials of varying sizes are processed. Adjustable guards can be manually positioned to suit the task, while self-adjusting guards move automatically as material passes through the machine. Although these guards offer flexibility, they rely on correct adjustment and proper maintenance to remain effective.

Presence-sensing devices represent a more advanced safeguarding approach. Instead of physical barriers, these systems detect the presence of a person within a hazardous zone and automatically stop machine movement. Light curtains, pressure-sensitive mats, and laser scanners are widely used in robotic cells and automated machinery. While highly effective, these systems require precise

installation, regular testing, and a controlled environment to prevent accidental activation or failure.




Figure 6.2: Machine Guard

Two-hand control devices are designed to keep an operator's hands away from the danger area by requiring both hands to be used simultaneously to initiate a machine cycle. This method is particularly effective for presses and similar machinery, provided that controls are positioned correctly and cannot be defeated.

Distance and location safeguarding involves designing workstations so that operators are naturally positioned away from hazardous areas. This may include remote control panels, extended feed systems, or automated handling equipment, reducing the need for direct human interaction with dangerous machine components.

6.2 SPECIFIC MACHINERY EXAMPLES — HAZARDS AND CONTROL MEASURES

Different types of machinery present unique hazards, and effective control measures must be tailored accordingly. Understanding these examples helps translate safeguarding principles into practical workplace applications. Power presses are among the most hazardous machines due to the force involved in their operation.

The primary risk is crushing or amputation when hands enter the point of operation. Control measures include fixed or interlocked guards, two-hand controls, light

curtains, and strict operating procedures. Regular inspection of dies and safeguarding systems is essential to prevent mechanical failure and flying fragments. Circular saws and cutting machines pose risks from rotating blades, kickback, and flying debris. Adjustable or self-adjusting blade guards are critical, along with riving knives, to prevent material kickback. Operators should use push sticks for small materials and ensure emergency stop controls are within immediate reach.

Conveyor systems present hazards at nip points, pulleys, and transfer locations. Entanglement and crushing injuries are common when guards are missing or damaged. Effective controls include guarding all moving parts, installing emergency stop cords along the conveyor length, and implementing strict rules against riding or crossing conveyors. Drilling and milling machines create hazards from rotating spindles and ejected chips. Transparent fixed guards allow visibility while preventing contact, and workpieces should be clamped securely rather than held by hand. Eye and face protection are essential due to the risk of flying particles. Lathes expose workers to rotating chucks and workpieces, which can catch loose clothing or tools. Fixed chuck guards, proper operator clothing, and the use of automatic feeds significantly reduce risk. Emergency stop devices must be readily accessible at all times. Grinding machines pose serious hazards from wheel breakage and abrasive particles. Wheel guards must enclose the wheel periphery, and grinding wheels should be tested before mounting to detect cracks. Operators must adhere to rated operating speeds and use appropriate eye and face protection.

Forklifts and mobile machinery introduce hazards related to movement, stability, and interaction with pedestrians. Control measures include operator training and certification, routine maintenance, seat belts, rollover protection systems, and clearly marked traffic routes within workplaces.

In a metal fabrication unit, removal of an interlocked guard to speed up production resulted in a severe hand injury. Reinstatement of the guard and enforcement of lockout procedures significantly improved safety outcomes.

Case Box 9: Safeguarding Failure in Press Operation

6.3 REQUIREMENTS FOR GUARD AND SAFETY DEVICES

For guards and safety devices to be effective, they must meet specific design, functional, and maintenance requirements. Poorly designed or inadequately maintained guards can create a false sense of security and may even introduce new hazards.

From a design perspective, guards must be strong enough to withstand operational stresses and accidental impacts. Materials used should be durable, corrosion-

resistant, and free from sharp edges. Guards must not interfere with machine operation or encourage removal due to inconvenience. Where visibility is necessary, transparent materials such as polycarbonate should be used.

Functionally, guards and safety devices must prevent access to danger zones during machine operation. Interlocks should be designed so that any failure or removal results in automatic machine shutdown. Emergency stop devices must be clearly identifiable, easily accessible, and capable of stopping the machine regardless of its operational state.

Maintenance and inspection are critical to guard effectiveness. Guards and safety devices should be included in routine inspection schedules, and any defect must be addressed immediately. Operating machinery with missing or damaged guards should be strictly prohibited. Documentation of inspections and repairs supports accountability and compliance with safety audits.

Legal and standard requirements further define expectations for machinery safeguarding. National laws such as the Factories Act, 1934 (Pakistan), along with international standards like OSHA regulations and ISO 14120, require employers to ensure that machinery is adequately guarded and maintained. Compliance with these requirements is both a legal obligation and a moral responsibility.

Table 6.1: Key Requirements for Guards and Safety Devices

Requirement	Purpose
Prevent access	Eliminate contact with hazards.
Robust design	Ensure durability
Fail-safe operation	Prevent unsafe restart
Visibility	Support safe monitoring
Maintainability	Encourage compliance

6.4 CONTROL MEASURES

Control measures for machinery hazards involve a combination of engineering solutions, administrative systems, and personal protective strategies. These measures should follow the hierarchy of controls, prioritizing elimination and engineering solutions before relying on administrative actions or PPE.




Figure 6.3: PPE

Engineering controls are the most effective means of reducing machinery hazards. These include redesigning machines to incorporate built-in safety features, installing guards and interlocks, automating material handling, and enclosing hazardous processes. Engineering solutions provide consistent protection that does not depend on human behavior.

Administrative controls support engineering measures by establishing clear rules and procedures. Standard Operating Procedures, training programs, risk assessments, and permit-to-work systems ensure that machinery is used safely and consistently. Job rotation and scheduling can reduce prolonged exposure to hazards such as vibration and noise.

Safe systems of work are particularly important during maintenance, cleaning, and repair activities. Lockout/Tagout procedures ensure that machinery is isolated from all energy sources before work begins. Verification of isolation, supervision, and authorization processes further reduces the risk of unexpected start-up.

Personal Protective Equipment serves as the final layer of protection. While PPE does not eliminate hazards, it reduces injury severity when other controls fail.

Appropriate selection, training, and enforcement are essential to ensure PPE effectiveness.

Regular monitoring and review ensure that control measures remain effective over time. Safety audits, inspections, and analysis of incidents and near-misses provide valuable feedback for continuous improvement. A proactive approach to monitoring allows organizations to address weaknesses before serious accidents occur.

Effective machinery safeguarding and control measures are essential for preventing serious workplace injuries and ensuring long-term worker health and safety. By applying appropriate safeguarding methods, understanding machine-specific hazards, meeting guard and safety device requirements, and implementing comprehensive control strategies, organizations can significantly reduce risk.

A systematic and preventive approach to machinery safety not only ensures legal compliance but also enhances productivity, worker confidence, and organizational reputation. Ultimately, safeguarding machinery is not merely a technical requirement; it is a fundamental element of responsible and sustainable workplace management.

Self-Assessment Questions

1. What is meant by machinery safeguarding?
2. Give two examples of machine guarding methods.
3. What is the purpose of safety devices on machinery?
4. How do interlocking guards improve workplace safety?
5. Why are control measures essential for reducing machinery-related accidents?

References

1. Hughes, P. and Ferrett, E. Introduction to Health and Safety at Work, Handbook for NEBOSH National General Certificate, 5th Edition, USA.
2. Duarte, J., Marques, A. T., & Santos Baptista, J. (2021). Occupational Accidents Related to Heavy Machinery: A Systematic Review. *Safety*, 7(1), 21. <https://doi.org/10.3390/safety7010021>
3. Almaskati, D., Kermanshachi, S., Pamidimukkala, A., Loganathan, K., & Yin, Z. (2024). A Review on Construction Safety: Hazards, Mitigation Strategies, and Impacted Sectors. *Buildings*, 14(2), 526. <https://doi.org/10.3390/buildings14020526>
4. Vincoli, J. W. (2024). Basic Guide to System Safety. Wiley Publications.
5. Workplace Health and Safety Queensland, Guide to machinery and equipment safety; Available at https://www.worksafe.qld.gov.au/__data/assets/pdf_file/0011/20306/guidetomachinery-equipmentsafety.pdf

UNIT-7

OTHER GENERAL REQUIREMENTS FOR WORK ENVIRONMENT

Written by:
Nazia Iftakhar

Reviewed by:
Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	67
Objectives	67
Learning Outcomes	67
7.1 Preventing Access to Dangerous Parts of Machinery	68
7.2 Restricting Use.....	70
7.3 Maintenance Requirements.....	70
7.4 Monitoring	71
7.5 Equipment Controls and Environmental Factors	72
Self-Assessment Questions	74
References	74

INTRODUCTION

This unit addresses the broader safety measures necessary to create and maintain a safe and healthy work environment. It highlights the importance of preventing unauthorized access to hazardous areas, ensuring that workspaces and equipment are regularly maintained, and establishing systems for continuous monitoring of safety standards. Additionally, it explores the role of environmental controls such as proper ventilation, lighting, noise management, and temperature regulation in minimizing health risks and enhancing worker comfort. By covering these general but essential requirements, the unit reinforces the idea that workplace safety is not limited to equipment handling but also depends on the overall environment in which employees operate.

UNIT OBJECTIVES

1. To prevent unauthorized access to hazardous areas.
2. To ensure regular maintenance and monitoring.
3. To manage environmental factors affecting safety.

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. Implement access control measures.
2. Establish maintenance and monitoring protocols.
3. Control environmental risks in the workplace.

7.1 PREVENTING ACCESS TO DANGEROUS PARTS OF MACHINERY

Workplace safety depends not only on the presence of machinery safeguards but also on how access to machinery is controlled, how equipment is used, maintained, and continuously monitored, and how environmental conditions influence safe operation. Many serious industrial accidents occur not because safeguards are absent, but because access is poorly controlled, maintenance is inadequate, or monitoring systems fail to detect early warning signs.

Preventing access to dangerous parts of machinery is one of the most fundamental principles of machine safety. Moving, rotating, cutting, or heated components pose severe risks when workers inadvertently or intentionally enter hazardous zones during operation, cleaning, or adjustment. Effective access prevention significantly reduces incidents such as entanglement, crushing, amputations, and burns.

The most effective method of preventing access is the use of physical safeguards. Fixed guards form permanent barriers between workers and hazardous machine parts and are commonly used in presses, conveyors, gear drives, and rotating shafts. These guards ensure that dangerous parts remain inaccessible during normal operation. Interlocked guards provide additional flexibility by stopping machine operation automatically when the guard is opened, making them suitable for processes requiring frequent access.

In modern industrial environments, advanced safeguarding technologies are increasingly used to complement physical barriers. Presence-sensing devices such as light curtains, laser scanners, and pressure-sensitive mats detect human entry into danger zones and immediately halt machine operation. These systems are particularly effective in automated and robotic environments where human-machine interaction is unavoidable.

Administrative controls further strengthen access prevention. Clear warning signs, hazard markings, and machine labeling help workers identify restricted areas. Access to dangerous parts should be limited to trained personnel only, supported by clear operating instructions and supervision. Unauthorized removal or bypassing of guards must be strictly prohibited and treated as a serious safety violation.

For example, in metal fabrication workshops, punch presses fitted with fixed guards and two-hand control systems prevent operators from placing their hands near the die area. Studies from international safety agencies indicate that such measures can reduce hand and finger injuries by more than half when consistently enforced.



Figure 7.1: Cautions related to Dangerous Parts of Machinery

Preventing access to dangerous parts of machinery is a fundamental requirement of workplace safety. Dangerous parts include any moving, rotating, cutting, crushing, or electrically energized components capable of causing injury. Access must be prevented during normal operation as well as during non-routine activities such as cleaning, adjustment, and fault-finding.

Physical barriers such as fixed and interlocked guards are the primary means of preventing access. These barriers must be designed to fully enclose hazardous areas and be positioned to maintain safe distances between workers and moving parts. Where full enclosure is not practicable, partial guarding combined with additional protective measures may be used, provided equivalent protection is achieved.

Safe access systems such as fencing, enclosures, and controlled entry points are particularly important in automated and high-risk areas. Interlocked gates that stop machinery when opened provide effective protection while allowing necessary access for authorized tasks. Warning signs and visual indicators support physical barriers by clearly identifying hazard zones.

Preventing access also requires attention to human behavior. Workers may attempt to bypass guards for convenience or productivity reasons, particularly under time pressure. Organizational controls, supervision, and a strong safety culture are essential to discourage unsafe access and reinforce compliance with safety requirements.

7.2 RESTRICTING USE

Restricting the use of machinery to authorized and competent individuals is a critical administrative control that directly addresses human error, which remains a leading cause of machinery accidents. Many incidents occur when untrained workers operate machines without fully understanding their hazards, limitations, or emergency procedures.

Authorization should be based on verified training and demonstrated competency. Operators must receive formal instruction covering machine operation, hazard recognition, safe working limits, emergency response, and routine safety checks. Only after successful assessment should workers be permitted to operate specific machinery, and this authorization should be documented.

Access control systems further enhance restriction measures. Mechanical lock-and-key systems, coded switches, or electronic access cards prevent unauthorized start-up of machinery. In high-risk environments, digital systems requiring biometric verification are increasingly used to ensure only approved operators can activate equipment.

Standard Operating Procedures (SOPs) play a central role in restricting use. SOPs define who may operate the machinery, under what conditions, and with what protective equipment. They also specify prohibited actions, such as operating machinery with guards removed or bypassed. Regular refresher training ensures that operators remain competent and aware of updated procedures.

For example, in pharmaceutical manufacturing facilities, high-speed tablet compression machines are restricted to certified technicians. Electronic access systems prevent unauthorized operation, significantly reducing both injury risks and product quality failures.

7.3 MAINTENANCE REQUIREMENTS

Effective machinery maintenance is essential for sustaining safe operation and preventing unexpected failures. Poorly maintained equipment increases the likelihood of mechanical breakdowns, energy release, and loss of control, all of which can lead to serious accidents.

Maintenance activities can be broadly classified into preventive, predictive, and corrective maintenance. Preventive maintenance involves scheduled inspections and servicing designed to prevent failure before it occurs. Tasks such as lubrication, calibration, and component replacement help maintain equipment reliability. Predictive maintenance uses monitoring data such as vibration, temperature, or noise levels to identify early signs of deterioration. Corrective maintenance addresses faults after failure but must be conducted under strict safety controls.

Lockout–Tagout (LOTO) procedures are essential during all maintenance activities. Machinery must be completely isolated from all energy sources, including electrical, hydraulic, pneumatic, and thermal energy, before work begins.

Locks and tags clearly indicate that maintenance is in progress and prevent accidental re-energization. Verification of isolation is a critical step before maintenance work proceeds.

Accurate documentation supports safe maintenance practices. Maintenance logs, inspection checklists, and repair records help identify recurring issues, track component lifespan, and demonstrate regulatory compliance. These records also support continuous improvement by highlighting areas requiring design modification or additional training.

For instance, in automotive manufacturing plants, structured preventive maintenance programs for robotic welding systems have been shown to reduce unplanned downtime and mechanical accidents by a significant margin, improving both safety and productivity.




Figure 7.2: Safe use of machinery

7.4 MONITORING

Monitoring is a proactive safety function that ensures machinery and workplace conditions remain within safe operating limits. Continuous monitoring allows early detection of deviations, enabling corrective action before incidents occur. Regular inspections are a fundamental monitoring activity. Safety officers and supervisors should verify the condition of guards, emergency stops, interlocks, and warning systems. Machines should also be assessed for unusual vibrations, excessive noise, overheating, or leaks, all of which may signal developing faults.

Advances in technology have transformed monitoring practices. Condition-monitoring systems using sensors and digital platforms provide real-time data on machine performance. Parameters such as temperature, pressure, and rotational speed can be continuously tracked, enabling predictive maintenance and reducing reliance on reactive repairs. Safety audits and compliance checks form another layer of monitoring. Periodic audits assess adherence to safety procedures,

maintenance schedules, and training requirements. Findings from audits help management address systemic weaknesses and improve overall safety performance.

Worker participation is a critical component of effective monitoring. Employees are often the first to notice abnormal machine behavior or unsafe conditions. Encouraging prompt reporting of defects, near-misses, and unsafe acts without fear of punishment strengthens early hazard detection and reinforces a positive safety culture. In power generation facilities, continuous monitoring of turbines using digital systems has proven essential for preventing catastrophic failures, protecting both workers and infrastructure.




Figure 7.3: Monitoring and Inspection of Heavy Machine

Monitoring is essential for ensuring that control measures remain effective and that unsafe conditions are identified promptly. Monitoring systems provide feedback on equipment performance, worker behavior, and environmental conditions, enabling proactive risk management. Routine workplace inspections help identify damaged guards, defective equipment, poor housekeeping, and unsafe practices. Observational monitoring of work activities provides insight into how procedures are applied in practice and whether additional controls are required.

Incident and near-miss data are valuable monitoring tools. Analysis of trends helps identify recurring problems and underlying causes. Health surveillance programs monitor worker exposure to hazards such as noise, vibration, and hazardous substances, supporting early detection of adverse health effects. Effective monitoring requires management commitment and worker involvement. Findings from monitoring activities must be communicated, corrective actions implemented, and outcomes reviewed to ensure continuous improvement.

7.5 EQUIPMENT CONTROLS AND ENVIRONMENTAL FACTORS

Equipment controls and environmental conditions significantly influence the safe operation of machinery. Poorly designed controls or unfavorable environmental factors can increase operator error, fatigue, and accident risk. Control systems

should be designed with ergonomics and safety in mind. Controls must be clearly labeled, logically arranged, and within comfortable reach. Emergency stop buttons should be prominently positioned, easily accessible, and tested regularly. Fail-safe design principles ensure that equipment automatically enters a safe state during power loss or system failure.

Automation and remote-control technologies further reduce risk by minimizing direct human exposure to hazardous processes. Digital interfaces and centralized control panels allow operators to manage machinery from safer locations while maintaining oversight of operations. Environmental factors play an equally important role. Adequate lighting reduces visual strain and operational errors, particularly in precision tasks. Temperature control and ventilation are essential in environments where machinery generates heat, fumes, or dust. Poor ventilation can compromise both worker health and equipment performance.

Noise and vibration are significant occupational hazards associated with machinery. Prolonged exposure can lead to hearing loss, fatigue, and reduced concentration. Engineering controls such as sound enclosures, vibration dampers, and isolation mounts should be used wherever feasible, supported by personal protective equipment when necessary. For example, in plastic molding facilities, ergonomic control panels combined with effective ventilation systems help manage heat and fumes, creating safer and more comfortable working conditions for operators.

Floor conditions, space constraints, and cluttered work areas further contribute to risk by restricting movement and increasing the likelihood of slips, trips, and falls. Addressing environmental factors is therefore an integral part of controlling machinery hazards and supporting safe work practices.

This unit emphasized the importance of controlling machinery-related risks through restricted access, authorized use, structured maintenance, continuous monitoring, and consideration of equipment controls and environmental conditions. Preventing access to dangerous parts, ensuring competent operation, maintaining machinery integrity, and monitoring performance are all interconnected elements of effective workplace safety management.

Organizations that adopt a proactive, system-based approach to machinery safety not only reduce accident rates but also improve productivity, reliability, and workforce morale. Sustained commitment to these principles is essential for achieving long-term occupational health and safety excellence.

Self-Assessment Questions

1. Why is it important to prevent access to dangerous parts of machinery?
2. What does restricting the use of equipment mean in workplace safety?
3. Why is regular maintenance of machinery necessary?
4. What is the role of monitoring workplace equipment?
5. How do environmental factors (lighting, temperature, noise) affect worker safety?

References

1. ILO, Safe and healthy working environments for all; Available at https://www.ilo.org/sites/default/files/wcmsp5/groups/public/@ed_protect/@protrav/@safework/documents/publication/wcms_906187.pdf
2. Sharma, R., and Mishra, D. K. (2020). The Role of Safety Training in Original Equipment Manufacturing Companies on Employee Perception of Knowledge, Behavior Towards Safety, and Safe Work Environment. International Journal of Safety and Security Engineering. 10(5). <https://doi.org/10.18280/ijssse.100514>
3. World Bank. Environmental, health, and safety general guidelines. Available at <http://documents.worldbank.org/curated/en/157871484635724258>
4. African Development Bank. HEALTH, SAFETY, AND ENVIRONMENTAL MANUAL Available at https://www.afdb.org/sites/default/files/ahl-man-400-001_health_safety_and_environmental_management_manual_rev_1.pdf

UNIT-8

TRAINING AND EDUCATION

Written by:
Nazia Iftakhar

Reviewed by:
Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	77
Objectives	77
Learning Outcomes	77
8.1 Types of Work Equipment.....	78
8.2 Suitability.....	78
8.3 Information	80
8.4 Instruction and Training.....	81
Self-Assessment Questions	84
References	84

INTRODUCTION

This unit highlights the critical role of training and education in promoting workplace safety and preventing accidents related to the use of work equipment. It emphasizes that workers must not only be made aware of the potential hazards associated with different types of equipment but also be equipped with the practical knowledge and skills to handle them safely and efficiently. The unit discusses how to assess the suitability of equipment for specific tasks, the importance of tailoring training to the level of risk, and the provision of clear information, demonstrations, and instructions. By focusing on developing worker competence and confidence, it underlines how effective training contributes to safer operations, reduces human error, and ensures compliance with legal and organizational safety requirements.

UNIT OBJECTIVES

1. To classify work equipment types.
2. To match equipment to task suitability.
3. To provide effective training and information.

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. Identify suitable equipment for tasks.
2. Deliver clear operating instructions.
3. Plan and conduct safety training programs.

8.1 TYPES OF WORK EQUIPMENT

Work equipment is central to almost every workplace activity, from basic maintenance tasks to complex industrial operations. While equipment is designed to improve efficiency and productivity, it can also introduce serious hazards if it is unsuitable for the task, poorly maintained, or operated by untrained personnel. Numerous workplace accidents occur not because equipment fails mechanically, but because workers lack the necessary information, instruction, or training to use it safely.

Work equipment refers to any machinery, appliance, apparatus, tool, or installation used at work. This broad definition includes everything from simple hand tools to advanced automated systems. Understanding the different types of work equipment is essential because each category presents unique hazards and requires specific control measures.

One of the most common categories is manual equipment, which includes non-powered tools such as hammers, screwdrivers, spanners, pliers, and hand saws. Although these tools appear simple and low-risk, they are frequently associated with injuries such as cuts, punctures, bruises, and musculoskeletal disorders. Improper grip, excessive force, or the use of damaged tools can easily result in accidents. For example, a screwdriver with a cracked handle may slip during use, causing hand injuries.

Portable power tools represent another major category of work equipment. These tools are powered by electricity, compressed air, batteries, or fuel and include drills, grinders, sanders, chainsaws, and welding guns. While they significantly increase work efficiency, they also introduce hazards such as electric shock, vibration, noise exposure, flying debris, and entanglement with moving parts. An angle grinder fitted with an incorrect disc or used without a guard can cause severe facial or eye injuries.

Fixed machinery includes stationary equipment such as lathes, presses, milling machines, conveyors, and production-line machinery. These machines often involve rotating parts, cutting edges, or crushing zones and therefore require robust guarding systems, interlocks, and emergency stop devices. Fixed machinery accidents are often severe due to the high forces involved.

Mobile and lifting equipment includes forklifts, cranes, hoists, pallet trucks, and earth-moving machinery. These types of equipment present hazards related to collisions, overturning, falling loads, and struck-by incidents. For instance, an

overloaded forklift operating on an uneven warehouse floor may tip over, causing serious injuries to the operator and nearby workers.

Finally, specialized and automated equipment such as robotic arms, CNC machines, and automated packaging systems are increasingly common in modern industry. These systems require a high level of operator awareness, as hazards may not be immediately visible during automatic cycles. Understanding automation safety zones and emergency intervention procedures is essential when working with such equipment. Recognizing the type of work equipment in use allows organizations to apply appropriate safety measures, training requirements, and maintenance strategies tailored to each category.

8.2 SUITABILITY

Suitability refers to how appropriate a piece of work equipment is for the task being performed, the environment in which it is used, and the capabilities of the worker operating it. Even well-designed equipment can become hazardous if it is unsuitable for its intended application.

The nature of the task is a primary factor in determining suitability. Equipment should be selected based on the specific operational requirements, including load, speed, precision, and duration of use. Using equipment beyond its designed capacity significantly increases accident risk. For example, using a light-duty ladder for heavy industrial work can result in structural failure and falls.

The working environment also influences equipment suitability. Factors such as moisture, temperature extremes, dust, and flammable substances can affect both equipment performance and operator safety. Electrical tools, for instance, should not be used in wet or explosive environments unless they are specifically designed and certified for such conditions.

Ergonomic considerations are equally important. Equipment should match the user's physical capabilities to prevent fatigue and musculoskeletal disorders. Poorly designed handles, excessive vibration, or awkward working postures can lead to chronic injuries over time. Adjustable workstations and ergonomically designed tools help accommodate a diverse workforce and reduce strain.

Compliance with legal and technical standards is another key aspect of suitability. Equipment must meet applicable safety standards and regulatory requirements. Using uncertified or modified equipment exposes organizations to legal liability and increases accident risk.

Maintenance condition also determines suitability. Equipment that is worn, damaged, or poorly maintained is no longer fit for safe use, regardless of its original design. Regular inspections and timely repairs ensure equipment remains suitable throughout its service life. For example, in construction projects, selecting lifting slings with the correct load rating and environmental resistance is essential. Using damaged or under-rated slings can lead to load failure and fatal accidents.

Suitability also depends on compliance with relevant standards and legal requirements. Equipment must meet recognized safety standards and be maintained in a condition that preserves its original safety features. Modifications that compromise safety may render equipment unsuitable, even if it appears functional. Regular review of equipment suitability is essential, particularly when work processes change, new equipment is introduced, or the workforce composition is altered.

8.3 INFORMATION

Providing accurate, clear, and accessible information about work equipment is fundamental to safe operation. Workers cannot be expected to use equipment safely if they are unaware of its hazards, limitations, or correct operating procedures. Manufacturer-provided information forms the foundation of equipment safety knowledge. User manuals and technical guides describe proper use, maintenance requirements, and safety precautions. These documents should be readily available and understood by operators.

Safety signage and labels provide immediate visual warnings. Color-coded signs, symbols, and pictograms alert workers to hazards such as moving parts, high voltage, hot surfaces, or mandatory personal protective equipment. Emergency controls, particularly emergency stop buttons, must be clearly marked and unobstructed.

Workplace-specific instructions supplement manufacturer information. Standard operating procedures, checklists, and safe work instructions should be tailored to actual working conditions and displayed near equipment. These instructions help standardize safe practices and reduce reliance on memory.

Risk communication is another essential element. Workers must be informed about the specific risks associated with equipment use, including mechanical, electrical, chemical, and ergonomic hazards. Clear communication helps workers make informed decisions and avoid unsafe behavior. Emergency and first-aid information should also be prominently displayed. Instructions on responding to electric shock,

entrapment, or equipment malfunction enable faster and more effective emergency response.

Modern workplaces increasingly use digital systems to deliver information. QR codes on machines, digital displays, and mobile safety applications allow instant access to manuals, inspection checklists, and risk assessments, reducing information gaps and improving compliance. Providing adequate information is a fundamental requirement for the safe use of work equipment. Information enables workers to understand how equipment operates, the hazards associated with its use, and the precautions necessary to prevent injury.

Information may be provided through manuals, operating instructions, warning labels, signage, and safety data sheets. Manufacturer instructions form the primary source of information and must be readily available and clearly understood by users. Effective information provision goes beyond technical documentation. Instructions should be communicated in a clear and accessible manner, using language and formats appropriate to the workforce. Visual aids, diagrams, and standardized symbols support understanding, particularly where literacy or language barriers exist.

Information should cover normal operation as well as non-routine situations such as cleaning, maintenance, fault-finding, and emergency procedures. Workers must be informed of limitations, prohibited uses, and the consequences of misuse. Keeping information up to date is critical. Changes in equipment, processes, or identified risks must be communicated promptly to ensure continued safe operation.

8.4 INSTRUCTION AND TRAINING

Instruction and training transform information into practical competence. Even the safest equipment can become dangerous if operated by individuals who lack proper training or experience. Training should begin with induction programs for new employees. These programs introduce general workplace hazards, emergency procedures, and safety expectations, providing a foundation for safe behavior.

Task-specific training is essential for equipment operation. Workers must receive detailed instructions on how to start, operate, adjust, and shut down equipment safely. This includes understanding normal operating conditions, recognizing warning signs of malfunction, and knowing when to stop work. Refresher training ensures that skills and knowledge remain current. Changes in equipment, procedures, or regulations require updated training. Regular refresher sessions help

prevent complacency and reinforce safe practices, particularly in high-risk environments.

Emergency response training prepares workers to deal with equipment-related incidents such as fires, mechanical failures, or energy release. Knowing how to respond calmly and correctly can significantly reduce injury severity and damage. Training methods should combine theory with practical demonstration.

Hands-on practice under supervision allows workers to develop confidence and competence. Toolbox talks, safety meetings, e-learning modules, and simulation-based training further reinforce learning.

Competency assessment is a critical component of training. Workers should be evaluated to confirm they can operate equipment safely before being authorized to work independently. Certification or licensing may be required for certain equipment, such as forklifts or cranes.

For example, in power generation facilities, only certified operators are permitted to control turbines and high-voltage systems. Training records are maintained and reviewed regularly to ensure ongoing compliance and competence.

This unit highlighted the essential role of work equipment management in occupational safety. By understanding the different types of work equipment, ensuring their suitability, providing accurate and accessible information, and implementing structured instruction and training programs, organizations can significantly reduce equipment-related accidents.

A well-informed and well-trained workforce is a critical defense against workplace hazards. Continuous learning, effective communication, and regular evaluation ensure that work equipment is used safely, efficiently, and in compliance with safety standards. Through these measures, organizations not only protect their workers but also enhance productivity, reliability, and overall operational excellence.

Instruction and training are essential for ensuring that workers can use work equipment safely and competently. While information explains what should be done, training develops the skills and behaviors necessary to apply that information in practice. Training programs should be proportionate to the complexity and risk level of the equipment.

Simple equipment may require basic instruction, while complex or high-risk machinery requires comprehensive, competency-based training.

Effective training includes both theoretical and practical components. Workers must understand hazards, control measures, and safe operating procedures, and also demonstrate their ability to operate equipment correctly under supervision. Training should be provided at induction, when new equipment or processes are introduced, and when workers are transferred to new roles.

Refresher training reinforces safe practices and addresses skill degradation over time.

Supervision plays a vital role in supporting training outcomes. Supervisors ensure that training is applied consistently and that unsafe practices are corrected promptly. Records of training and competency assessments provide evidence of compliance and support ongoing workforce development.

Self-Assessment Questions

1. What is meant by work equipment in occupational safety?
2. Why must equipment be suitable for the task and workplace conditions?
3. What type of information should workers receive before using equipment?
4. Why is instruction and training necessary for operating machinery safely?
5. How can regular training programs improve workplace safety?

References

1. Shekh, J., and Mohiul, M. I. (2023). EHS Analytics for Improving Hazard Communication, Training Effectiveness, and Incident Reporting in Industrial Workplaces. *American Journal of Interdisciplinary Studies*, 4(02), 126-160. <https://doi.org/10.63125/ccy4x761>
2. Sharma, R., and Mishra, D. K. (2020). The Role of Safety Training in Original Equipment Manufacturing Companies on Employee Perception of Knowledge, Behavior Towards Safety, and Safe Work Environment. *International Journal of Safety and Security Engineering*. 10(5). <https://doi.org/10.18280/ijssse.100514>
3. Abduladeem A. A. Belkher, & Masood A. Masood. (2023). Occupational Health and Safety, Risk Assessment, and Management in the Machinery Sector. *African Journal of Advanced Pure and Applied Sciences*, 2(3), 187–198. <https://doi.org/10.65418/ajapas.v2i3.472>
4. Bley, J. (2024). Safe Behavior: how the psychology of safety can improve learning in EHS. Nelpa Publications.
5. <https://www.hse.gov.uk>

UNIT-9

FOLLOW-UP PROCEDURE

Written by:
Nazia Iftakhar

Reviewed by:
Dr. Muhammad Farooq Mustafa

CONTENTS

Introduction.....	87
Objectives	87
Learning Outcomes	87
9.1 Monitoring and Assessment.....	88
9.2 Documentation.....	90
9.3 Evaluating Risk Factors	91
9.4 Control Measures	92
Self-Assessment Questions	94
References	94

INTRODUCTION

This unit emphasizes the importance of follow-up procedures in sustaining effective workplace health and safety management. It explains how regular monitoring, thorough documentation, and systematic evaluation of implemented safety measures help identify gaps, track progress, and ensure compliance with standards. The unit highlights the role of inspections, audits, and feedback mechanisms in maintaining accountability and promoting continuous improvement. By reinforcing the need for accurate records and timely reviews, it ensures that safety practices remain dynamic, responsive to emerging risks, and aligned with organizational goals. Ultimately, this unit equips learners with the knowledge to sustain a proactive safety culture through structured follow-up actions.

UNIT OBJECTIVES

1. To monitor safety performance.
2. To maintain proper safety documentation.
3. To evaluate risks and refine control measures.

LEARNING OUTCOMES

By the end of this unit, students will be able to:

1. Monitor and assess workplace safety.
2. Keep accurate safety records.
3. Recommend improvements based on evaluations.

9.1 MONITORING AND ASSESSMENT

An effective Health and Safety Management System (HSMS) does not end with hazard identification or the implementation of control measures. Continuous monitoring, systematic documentation, thorough evaluation of risk factors, and the ongoing application of appropriate controls are essential to ensure that safety improvements are sustained over time. Follow-up procedures assure that safety policies are being implemented as intended and that corrective actions remain effective.

Monitoring and assessment are fundamental processes used to evaluate whether health and safety controls are functioning effectively and whether workplace practices align with established policies and legal requirements.

Monitoring can be broadly categorized into active (preventive) and reactive (responsive) approaches, both of which are essential for a balanced safety management system.

Active monitoring focuses on identifying unsafe conditions and behaviors before accidents occur. This includes routine workplace inspections, safety tours, environmental sampling, and compliance audits. Active monitoring provides early warning signs of potential failures in control measures.

For example, regular inspection of scaffolding on a construction site may identify missing guardrails or unstable platforms before a fall incident occurs.

Reactive monitoring, on the other hand, examines events that have already taken place, such as accidents, near-misses, occupational illnesses, or dangerous occurrences. Incident investigations and analysis of injury data help organizations understand why controls failed and what corrective actions are required. For instance, repeated reports of back injuries in a warehouse may reveal poor manual handling practices or inadequate training.

Assessment of safety performance relies on the use of measurable indicators. Leading indicators, such as the number of safety training sessions conducted or near-miss reports submitted, provide insight into proactive safety efforts.

Lagging indicators, including accident frequency rates or lost-time injuries, reflect outcomes of past performance. A combination of both provides a comprehensive picture of workplace safety.

Monitoring methods may include workplace inspections, formal safety audits, health surveillance programs, and environmental monitoring.

Health surveillance is particularly important for workers exposed to specific hazards such as noise, vibration, or hazardous substances. Environmental monitoring, such as measuring dust levels or noise intensity, ensures that exposure remains within acceptable limits.




Figure 9.1: Monitoring of Machinery

In practice, a manufacturing facility may conduct weekly safety inspections and quarterly internal audits to identify hazards, while also reviewing accident statistics monthly to detect trends. Through this continuous feedback loop, monitoring becomes a learning process that drives improvement rather than a purely administrative task.

9.2 DOCUMENTATION

Documentation forms the structural backbone of an effective health and safety management system. Accurate and systematic record-keeping provides evidence of compliance, supports informed decision-making, and ensures accountability at all organizational levels. O

ne of the primary purposes of documentation is to demonstrate compliance with legal and regulatory requirements. Many occupational safety regulations require employers to maintain written records of risk assessments, inspections, training, and incident investigations. These records serve as proof that reasonable steps have been taken to manage workplace risks.

Documentation also supports due diligence. In the event of an inspection, audit, or legal inquiry, written records provide tangible evidence of safety efforts and corrective actions.

Beyond compliance, documentation facilitates communication by ensuring that safety information is shared consistently across departments and shifts. Common types of health and safety documentation include risk assessment records, inspection checklists, incident and near-miss reports, training records, maintenance logs, and audit reports.

Each document contributes to a comprehensive overview of workplace safety performance.

Modern organizations increasingly rely on digital documentation systems. Electronic health and safety management software enables real-time data entry, automated follow-ups, and centralized storage of records.

Digital systems reduce paperwork, improve accessibility, and enhance the traceability of corrective actions. For example, in a manufacturing plant, a digital inspection report identifying a defective machine guard can automatically generate a corrective action request and notify the maintenance department. This ensures timely intervention and creates a documented trail for future reference.

9.3 EVALUATING RISK FACTORS

Evaluating risk factors is the process of analyzing identified hazards to determine their potential impact and the adequacy of existing control measures. Risk evaluation transforms raw data collected through monitoring into actionable information that guides decision-making.

The first step in risk evaluation is hazard identification. Hazards may be physical, mechanical, chemical, biological, ergonomic, or psychosocial in nature. Once identified, each hazard is analyzed in terms of likelihood and severity. Likelihood considers how often exposure may occur, while severity reflects the potential consequences of harm.



Figure 9.2: Systematic Approach of Risk Assessment

Risk rating systems, such as risk matrices, are commonly used to prioritize hazards. These tools help organizations focus resources on high-risk issues that require immediate attention. For example, operating an unguarded machine presents both a high likelihood of occurrence and severe potential injury, making it a priority risk. Evaluation also involves reviewing the effectiveness of existing control measures. If controls are found to be inadequate or poorly implemented, additional measures must be introduced. Factors such as changes in equipment, processes, workforce composition, or environmental conditions can influence risk levels and necessitate reassessment.

Human factors play a significant role in risk evaluation. Fatigue, stress, lack of training, and unsafe behaviors can increase the likelihood of accidents even when technical controls are in place. Incident data and near-miss reports provide valuable insights into these contributing factors. In healthcare settings, for example, evaluating the risk of needlestick injuries involves considering frequency of exposure, severity of potential infections, and effectiveness of controls such as safety-engineered devices and training. Continuous evaluation ensures that controls remain appropriate and effective.

Case Box 10: Risk Re-evaluation in Practice

In a manufacturing unit, an increase in production targets led to longer working hours and reduced rest breaks. Although machinery controls remained unchanged, injury rates increased. Re-evaluation of risk factors identified fatigue as a contributing factor, leading to revised schedules and improved safety outcomes.

9.4 CONTROL MEASURES

Control measures are the practical actions taken to eliminate or reduce risks identified through monitoring and evaluation. Effective control strategies follow the hierarchy of control, which prioritizes measures based on their ability to reduce risk at the source. Elimination is the most effective control, involving the complete removal of the hazard. Where elimination is not feasible, substitution involves replacing hazardous materials or processes with safer alternatives. Engineering controls isolate workers from hazards through physical design, such as machine guards or ventilation systems.

Administrative controls modify how work is organized and performed. These include safe work procedures, job rotation, training programs, and supervision. Personal protective equipment (PPE) is considered the last line of defense and should be used in conjunction with, rather than as a replacement for, other controls. Implementation of control measures must be systematic. Controls should be clearly documented, responsibilities assigned, and timelines established. Communication

is essential to ensure that workers understand new measures and their role in maintaining safety.

Monitoring and review are critical to confirm that controls remain effective. Feedback from workers, inspection results, and incident data should inform ongoing adjustments. Ineffective controls must be revised promptly to prevent the recurrence of incidents.

In a welding workshop, for instance, engineering controls such as local exhaust ventilation reduce fume exposure, while administrative controls regulate work schedules, and PPE protects against residual risks. Together, these layered controls significantly reduce occupational health hazards.

This unit underlined the importance of follow-up procedures within a health and safety management system. Monitoring and assessment ensure that safety measures are functioning as intended, while documentation provides transparency and accountability.

Risk evaluation enables informed prioritization of hazards, and structured control measures reduce risks systematically and sustainably. By integrating these elements into daily operations, organizations move beyond reactive compliance toward a proactive culture of continuous improvement. Effective follow-up not only prevents recurrence of incidents but also strengthens organizational learning, resilience, and long-term workplace safety performance.

Self-Assessment Questions

1. What is the purpose of monitoring and assessment in safety management?
2. Why is documentation important in workplace safety systems?
3. What does risk evaluation involve in occupational safety?
4. What is meant by control measures in hazard management?
5. How does the follow-up procedure contribute to continuous safety improvement?

References

1. Shekh, J., and Mohiul, M. I. (2023). EHS Analytics for Improving Hazard Communication, Training Effectiveness, and Incident Reporting in Industrial Workplaces. *American Journal of Interdisciplinary Studies*, 4(02), 126-160. <https://doi.org/10.63125/ccy4x761>
2. ILO; Safety and health in the use of machinery; Available at https://www.ilo.org/sites/default/files/wcmsp5/groups/public/@ed_protect/@protrav/@safework/documents/normativeinstrument/wcms_164653.pdf
3. Ayers, D. (2023). Evaluating Equipment for Hazards Before & After Installation. *Professional Safety*. 68(8), 13-15. <https://www.proquest.com/openview/444520c6c17bf76967b80f07b276a858/1?pq-origsite=gscholar&cbl=47267>